

ACKNOWLEDGMENTS

The Editors of the Academy's Scientific Publications wish to acknowledge, with thanks, the efforts of the many reviewers who have given unstintingly of their time and knowledge to review papers submitted for publication in the Academy's *Proceedings* volume 54 for year 2003. The following persons provided critical expertise: Michele L. Aldrich (Cornell University), Frank Almeda (California Academy of Sciences), K. Christopher Beard (Carnegie Museum of Natural History), David Behrens (Schafer Laboratories), Hans Bertsch, Daniel M. Cohen (Bodega Bay, California), Thomas F. Daniel (California Academy of Sciences), Indraneil Das (University of Malaysia), Terry Erwin (National Museum of Natural History, Smithsonian Institution), Lawrence J. Flynn (Peabody Museum of Archaeology and Ethnology, Harvard University), Darrel Frost (American Museum of Natural History), Terrence M. Gosliner (California Academy of Sciences), Gustavo Hormiga (George Washington University), Tomio Iwamoto (California Academy of Sciences), David H. Kavanaugh (California Academy of Sciences), J. Patrick Kociolek (California Academy of Sciences), John E. McCosker (California Academy of Sciences), Nigel R. Merrett (UK), Richard J. Mooi (California Academy of Sciences), Timothy Pearce (Carnegie Museum of Natural History), Richard L. Reeder (University of Tulsa), William Rudman (Australian Museum), William Shear (Hampden-Sydney College), Carol Tang (California Academy of Sciences), Fred G. Thompson (Florida Museum of Natural History, University of Florida), Angel Valdes (Los Angeles County Museum), Jens V. Vindum (California Academy of Sciences), Jeff Wilkinson (California Academy of Sciences), Gary C. Williams (California Academy of Sciences), Guinevere O.U. Wogan (California Academy of Sciences), Ellis L. Yochelson (USGS and National Museum of Natural History, Smithsonian Institution), George R. Zug (National Museum of Natural History, Smithsonian Institution).

Alan E. Leviton, Ph.D., Editor
Gary Williams, Ph.D., Associate Editor

14 November 2003

INDEX TO VOLUME 54

A

- Acanthaceae 371, 379–380
Acanthemblemaria castroi 159
Acanthophora 307–309, 314, 318; *A. spicifera* 307–308
Actinicyclus [sic] 50
Actinocyclus 43–44, 58, 205; *A. curvatulus* 43, 58; *A. divisus* 43; *A. ehrenbergii* 43; *A. ochotensis* 43, 58; *A. octonarius* 43, 58
Actinoptychus 44, 58; *A. senarius* 44, 58; *A. splendens* 44, 58; *A. undulatus* 44; *A. vulgaris* 44
Adoneis pacifica 40, 44, 50
Aeolidina 161
 Afghanistan 151
 Africa: See countries
Afroedura hawequensis 236
 Agamidae 1, 15, 16
Agelena ignota 566, 568
Ahaetulla 407
Ailuropoda 212–214, 220–221
Ailuropoda-Stegodon fauna 212
Akysis 85
 Alaska 27–29, 31, 33, 35, 37–43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 262, 310, 329, 437; Alaska Peninsula 27–29, 40; Kodiak Island 310
Alloiodoris 204
 Amaurobiidae 499, 576, 577, 578
Ambanus 575–576
Amolops 21
 Amphiliidae 81–83, 86–87, 89, 92, 98, 107–110, 113–114
 Amphiliinae 83, 87–88, 108–110
Amphiesma 407
Amphilius 81–83, 87, 89, 97, 101, 103, 105–106, 108, 114; *A. angustifrons* 81–82, 97, 105; *A. atesuensis* 87; *A. baudoni* 87; *A. brevis* 87; *A. cryptobullatus* 87; *A. kivuensis* 87; *A. lentiginosus* 87; *A. longirostris* 87; *A. maesii* 87; *A. notatus* 81–83, 106; *A. opisthophthalmus* 87; *A. pictus* 87; *A. uranoscopus* 87; *A. zairensis* 87
Amphora bigibba var. *capitata* 246, 253
 Anapidae 359
Anapis 359
Anapisona 359
Anapistula 356, 360; *A. caecula* 356, 360
Andersonia 83, 87–88, 94, 109, 117; *A. leptura* 83, 87, 94, 109
 Andaman and Nicobar Islands: See Indian Ocean
 Angola 86, 95, 113
Anguis platura 437
Anisodoris 71, 74
 Anura 16, 17, 26, 141, 152–153
Apodemus 213
Arachnoidiscus 44
 Araneae 133, 140, 356, 360, 499, 576, 577, 578, 579
 Araneoidea 356, 360
Aristochroa 238–239, 241–244; *A. abrupta* sp. nov. 238–244; *A. dequinensis* 244; *A. dimorpha* 239–240; *A. gratiosa* 239–240; *A. kangdingensis* 239–240; *A. militaris* 239–240, 244; *A. sciakyi* 239–240
Asiacoelotes 502, 507, 561, 564, 576
Aspis intestinalis 423
Astarte 27–31, 39, 42
Asteronotus 205
 Atlantic Ocean 381, 388; See also Cape Verde Archipelago; See also Madeira
Aturia ornata 433
 Auchenoglanidinae 82, 89, 109
Aulacodiscus 44
Auliscus 38, 44; *A. grunowii* 44
 Australia 189–191, 204, 207–208, 231, 262, 280, 283–284, 286–288, 296–300, 303, 321, 323, 328–331, 356, 361, 366, 393–394, 403, 405–406, 428, 430, 432, 434, 436–437, 450, 496; Kangaroo Island 393–394; New South Wales 186, 190–193, 231, 287, 296, 300, 303, 361, 366, 369; Queensland 206, 323; South Australia 393–394, 405; Victoria 303, 330, 361, 374, 379; Western Australia 190–191, 208, 284, 286, 296, 303, 323, 331; See also Tasmania
Axis 162, 221, 260, 363, 367
 Azemiopinae 407, 438
Azemiops 407, 413, 419, 438–439, 450, 452; *A. feae* 413, 419, 438–439, 450
Azpeitia 38, 44; *A. nodulifera* 44; *A. tabularis* 44
Azurina eupalama 159

B

- Bacteriasrtum* [sic] 44; *B. varians* 44
Bacteriastrum 38, 52; *B. varians* 38, 52
Bacterosira 34, 37–38, 40, 44, 54, 56; *B. fragilis* 34, 37–38, 44, 54, 56
Bagarius 85, 110, 113
 Bagridae 82–83, 86, 88, 108–109, 113–114
Bagrus 109

- Bangladesh 1, 11, 13, 425, 435, 440, 444, 446
Baptodoris 204, 205
Belonoglanis 83, 87
 Bay of Bengal: See under Indian Ocean
 Bering Sea 27, 38, 41–42
 Bering Strait 27–28, 39, 40–42
Berthella 205
 Bhutan 507, 521, 522, 548–549, 555, 576
Bifidocoelotes 499–500, 502–503, 507, 561, 564, 576, 581, 645–646; *B. bifidus* 502, 581; *B. primus* 502–503, 581, 645
Biomphalaria glabrata 229, 230
Bitia 407
Boiga 407
 Borneo 294, 296, 422, 435, 438, 451
Bos 212, 213–214, 217
 Bovidae 219
 Brazil 65, 71, 73, 79
Bubalus 213, 217, 220
Bufo 11, 16, 141–153; *B. andrewsi* 150; *B. asper* 145, 150; *B. atukoralei* 145; *B. bankorensis* 145; *B. beddomi* 145; *B. biporcatus* 145; *B. bufo* 145, 150, 153; *B. burmanus* 150; *B. calamita* 145; *B. claviger* 145; ***B. crocus* sp. nov.** 142–146, 149–150; *B. cyphosus* 145; *B. dhufarensis* 145, 151; *B. divergens* 145; *B. dodsoni* 145; *B. gargarizans* 145, 151; *B. himalayanus* 145, 151; *B. japonicus* 145; *B. juxtasper* 145; *B. kisoloensis* 145; *B. kotagamai* 145; *B. latastei* 145; *B. leutkeni* 145; *B. luristanica* 145; *B. macrotis* 144, 150–151; *B. melanostictus* 141–142, 145–152; *B. melanostictus* [sic] 145, 150; *B. microtypanum* 145, 151; *B. minshanicus* 145; *B. noellerti* 145; *B. olivaceus* 145; *B. orientalis* 145, 151; *B. parietalis* 145; *B. parvus* 145, 150–151; *B. pentoni* 151; *B. periglenes* 145; *B. peripatetes* 145; *B. philippinicus* 145; *B. quadriporcatus* 145; *B. raddei* 145, 151; *B. scaber* 145, 151–152; *B. silentvalleyensis* 145; *B. stejneri* 145, 152; *B. stomaticus* 145, 148–149, 151; *B. stuarti* 16, 141–142, 144–146, 148–151; *B. surdus* 145, 151; *B. tibetanus* 145; *B. viridis* 145, 152; *B. wrighti* 145
 Bufonidae 16, 141, 149, 152–153
Bungarus 407, 409–411, 413–415, 421–423, 452, 453; *B. annularis* 421; *B. bungaroides* 411, 415, 421; *B. fasciatus* 411, 415, 421; *B. flaviceps* 409, 415, 422; *B. magnimaculatus* 415, 422–423; *B. caeruleus magnimaculatus* 422; *B. multicinctus* 409, 423; *B. multicinctus wanghaotingi* 423; *B. wanghaotingi* 407, 409, 413, 415, 423
 Burma 422–423, 438, 443, 451, 463, 465, 494, 496, 497; See also Myanmar
- C**
Cadlina 205
Caecorinchus 281–282, 288
 California 68
Calliophis 414–415, 423–424, 427, 452–453; *C. bivirgatus* 414; *C. gracilis* 423; *C. maccllellandi* 427; *C. maculiceps* 415, 424
Callophis maculiceps 424
Caloneis 245–246, 253; *C. disticha* 245; *C. liber* var. *incerta* 246, 253
Calotes 1–11, 13–15; ***C. chincolium* sp. nov.** 2, 4, 6–13; *C. emma* 1–2, 10–13; *C. emma alticristatus* 10–11; *C. jerdoni* 1–2, 10–11, 14; *C. kinabaluensis* 1; *C. kingdonwardi* 1–3, 11, 14; *C. kingdonwardi bapoensis* 14; *C. maria* 2, 40; *C. mystaceus* 1–2, 10, 12, 14; *C. nigriplicatus* 1; *C. versicolor* 1–2, 10, 11
Calycidoris 204–205
 Cambodia 422, 424, 425, 442, 443, 445, 447
 Cameroun 94, 95, 113
Campylodiscus cordatus 246, 253
Canis 217, 219–220, 223
 Cape Verde Archipelago 381, 387
Cantoria 407
 Caprinae 213
 Carabidae 238, 244
Carminodoris 169–171, 173, 175–177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201–207; *C. armata* 202, 206; *C. bifurcata* 169, 185, 189; *C. grandiflora* 169–170, 175, 177–178, 194, 205; *C. mauritiana* 169–170, 176–178, 194, 205; *C. nodulosa* 169, 175, 185, 189, 204–205
 Cenozoic 27–28, 31, 40–42
Cerberus 407
 Cervidae 213, 219–220
Cervus 212–213, 216–217, 220–221, 223
C. cf. unicolor 217
 Chad Basin 110
Chaetoceros 30, 38, 44–45, 54; *C. cinctus* 44; *C. diadema* 44; *C. furcellatus* 44; *C. incurvus* 44; *C. septentrionales* 44; *C. subsecundus* 44
Cheilinus 361, 369
C. arenatus 361
C. coccineus 369
C. rhodochrous 369
Chiloglanis 85, 97, 104, 113
C. reticulatus 97, 104
Chilotherium yunnanensis 221
 China 14, 24–26, 31, 133–134, 136, 138–139, 150–151, 209–211, 213, 215, 217, 219, 221, 223–224, 238–239, 241–244, 284, 286–287,

- 290–291, 295, 356–360, 409, 419, 422–423, 425, 427, 431–432, 434, 436, 438–446, 448–451, 501–509, 517–549, 555–579, 638–639; Anhui Province 151, 449, 521–524, 538, 548, 550, 573–575; Fuji 568, 576; Fujian 449, 560; Gansu 449, 537–539, 544, 550, 575–576; Guangdong 449, 576; Guangxi 439, 449, 546–547, 556–557, 577; Guizhou 505, 563, 571–572, 574–575, 638–640; Hong Kong 503, 576; Hubei 449, 501, 523, 525–526, 538, 540, 554–555, 563–564, 566, 571, 575–578, 606; Hunan 449, 501, 504–506, 518–519, 528, 536, 538–539, 549, 551–552, 559, 561–562, 565–566, 571–573, 576, 578, 636–637; Jiangsu 449, 560, 566, 575–576; Jiangxi 449, 539, 573; Jilin 449, 567, 575; Ningxia Hui Autonomous Region 151; Shaanxi 439, 522, 527, 533, 538, 555, 575; Shanxi 555–556, 575; Sichuan 425, 449, 505, 533, 550–553, 562–563, 565–566, 572, 575–576, 578; Szechwan 441, 443; Taiwan 25–26, 409, 429, 432, 434, 436, 440–442, 444, 448–451, 501–503, 537, 557–559, 576, 578; Tangzigou 209–210, 217, 224; Tengchong 221; Wanrengang 209–210, 215–217, 219, 224; Xizang Autonomous Region (Tibet) 441, 442, 443, 446, 451, 577; Yangyi 210, 221, 224; Yunnan Province: 10, 14, 24, 133–134, 136, 138–139, 150, 209–211, 213, 215, 217, 219, 221, 223–224, 238–239, 241–244, 356–357, 360, 409, 423, 425, 439, 441–443, 449, 496, 517–521, 524, 526–532, 535–536, 540–543, 545–549, 575; Dianjiangtai 210, 221; Gaoligongshan 209–210, 223, 238, 242, 356–359; Gaoligong Mountains 133, 139, 209, 357, 360; Hengduan Range 209; Huoxinshan 210, 217, 220, 224; Jiangdongshan 210, 221; Laohudong 209–210, 219–220, 222, 224; Longwangtang 210, 223–224; Nanfeng 209–210, 212–215, 224; Zhejiang 439, 449, 506–507, 520, 525, 534, 536, 538, 547–548, 553–554, 559–560, 575–577
- Chioraera leonina* 310
- Chirixalus* 11, 16–26; *C. cherrapunjiae* 22; *C. doriae* 17, 19–25; *C. dudhwaensis* 24, 26; *C. eiffingeri* 23, 25–26; *C. hansenae* 24; *C. idiootocus* 23; *C. laevis* 22, 24–25; *C. nongkhorensis* 17, 19–21, 24–25; *C. palpebralis* 22–25; *C. punctatus* **sp. nov.** 18–24; *C. romeri* 22; *C. shyamrupus* 22, 24; *C. simus* 24; *C. vittatus* 17, 19–20, 23–25
- Chiton 677, 683
- Chromodoris* 167, 204–205
- Cladogramma dubium* 44, 62
- Clarias* 85
- Clariidae 109
- Claroteidae 82, 86, 108–109
- Claroteinae 82, 89
- Clinus* 156, 159; *C. macrocephalus* 159
- Cocconeis* 44; *C. antiqua* 44; *C. californica* 44; *C. costata* 44; *C. placentulla* 44; *C. pribiloefformis* 44; *C. scutellum* 44; *C. singularis* 246, 253; *C. vitrea* 44
- Coelocephalus* 281, 283; *C. acipenserinus* 281, 283
- Coelorhynchus* 281–283; *C. gladius* 281
- Coelotes* 500, 502–510, 518–528, 531–541, 543–544, 546–569, 572–579, 594; *C. acidentatus* 518; *C. adligansus* 518; *C. altissimus* 519; *C. amygdaliformis* 520; *C. arcuatus* 520; *C. argenteus* 521; *C. aspinatus* 521; *C. atropos* 575; *C. charitonovi* 575; *C. baccatus* 540; *C. baronii* 521; *C. bicaudatus* 566–567; *C. bifida* 502; *C. bituberculatus* 522; *C. brunneus* 523; *C. calcariformis* 523; *C. carinatus* 524; *C. chaiqiaoensis* 525; *C. cheni* 525; *C. coe-datus* 574; *C. corasides* 568–569; *C. corasoides* 566, 568; *C. coreanus* 526, 594; *C. edentulus* 558; *C. erraticus* 566, 567; *C. exitialis* 575; *C. huangsangensis* 503–504; *C. huizhouensis* 509; *C. huizhuneensis* 509; *C. icohamatoides* 562; *C. icohamatus* 562; *C. ignotus* 568; *C. impletus* 561; *C. kulianganus* 560; *C. lama* 509, 533; *C. laoyingensis* 564–566; *C. latus* 557; *C. lichuanensis* 563; *C. lutulentus* 538; *C. lyratus* 572; *C. magniceps* 539; *C. michikoeae* 569; *C. modestus* 568, 577; *C. mollendorffi* 560; *C. molluscus* 539; *C. nanyuensis* 539; *C. neixiangensis* 540; *C. ornatus* 541; *C. penicilatus* 510, 543; *C. penicillatus* 543; *C. pervicax* 543; *C. platnicki* 557; *C. pseudoluniformis* 558–559; *C. pseudoterrestris* 575; *C. qingzangensis* 546; *C. quadratus* 546; *C. rufuloides* 500, 509, 547–548; *C. rufulus* 547; *C. saxatilis* 510, 525; *C. schenkeli* 548; *C. senkakuensis* 560; *C. shuangpaiensis* 500, 510, 528; *C. singulatus* 549; *C. sinualis* 538; *C. stemmleri* 549; *C. streptus* 550; *C. striolatus* 550; *C. strophadatus* 550; *C. subtitanus* 551; *C. syzygiatus* 551; *C. tautispinus* 573; *C. terrebratus* 551; *C. trifasciatus* 552; *C. tryblionatus* 553; *C. uncinatus* 553; *C. urumensis* 565; *C. variegatus* 573; *C. wenzhouensis* 554; *C. wudangensis* 554; *C. wuermlii* 555; *C. yadongensis* 556; *C. yoshikoeae* 503, 504; *C. yositanus* 556; *C. zonatus* 564–565
- Coleoptera 238, 244, 281
- Colubridae 407
- Coluber*: *C. gramineus* 444; *C. laticaudatus* 425; *C. naja* 424; *C. russelii* 439
- Congo Basin 81–84, 86–87, 95–96, 99, 104, 110–112, 118; Stanley Pool 90–94, 97, 100, 102, 111, 113, 117, 119–122, 124–127, 129–130; Ubangui River

- 84, 88, 90–92, 97, 102, 104–107, 111, 118–119, 128, 130–132
 Cook Islands: See South Pacific
 Coral Sea: See Indonesia
Coras 568, 574, 578; *C. lamellosus* 574; *C. luctuosus* 568, 578
Coronilla 499–500, 503–506, 557, 576, 582–585, 646; *C. gemata* 499, 503–505, 582; *C. huangsan-gensis* 505; *C. libo* **sp. nov.** 499, 503–505, 563, 574, 583; *C. mangshan* 503–505; *C. sigillata* 503–506, 584; *C. subsigillata* **sp. nov.** 499, 503–504, 506, 585; *C. yanling* 499, 503–504
Coryphaenoides 279–280, 282, 293–294, 300–301; *C. hyostomus* 293–294
Coscinodiscus 43–44, 47–48, 52; *C. asteromphalus* 44; *C. curvatulus* 43; *C. marginatus* 44, 52; *C. oculus-iridis* 44; *C. symbolophorus* 47; *C. temperei* 48; *C. undulosus* 48
Cosmiodiscus 45; *C. insignis* 45; *C. intersectus* 45
Cosmiodiscus 27, 34, 37–39, 45, 56, 60; *C. insignis* 27, 34, 37–39, 45, 56, 60
 Costa Rica 65–69, 71, 73, 75, 77–79, 153, 160, 169, 175, 186, 198–201, 204
Cottoclinus **gen. nov.** 155–160; *C. canops* **sp. nov.** 155–160
Cricetulus 213
 Crotalinae 407, 440, 450
Crotalus scutellatus 407
 Cryptobranchia 170, 204, 205
Ctenocella 261
Curimagua bayano 356
Cyclotella insolita 246, 253
Cymatosira debyi 45, 54, 56
Cymatotheca weissflogii 38, 48
Cymbella coamoensis 247, 253
Cyrtodactylus 463–465, 467–469, 471, 473–479, 481–482, 484–489, 491–497; *C. aaroni* 493; *C. abrae* 493; *C. adleri* 492, 493; *C. aequalis* **sp. nov.** 467, 485, 489, 491–492, 494, 495; *C. agusanensis* 493; *C. albofasciatus* 492; *C. angularis* 492, 493; *C. annandalei* **sp. nov.** 465, 467–469, 481, 492–493, 495; *C. annulatus* 492; *C. ayeyarwadyensis* **sp. nov.** 467, 469–471, 473–475, 478, 482, 492–493, 495, 496; *C. baluensis* 493; *C. brevidactylus* 464, 492, 495, 496; *C. brevipalmatus* 492; *C. cavernicolus* 492; *C. chrysoptilos* **sp. nov.** 467, 485–489, 492, 494, 495; *C. collegensis* 492; *C. condorensis* 492–493; *C. consobrinoides* 463–464, 468–469, 481, 492–493, 495; *C. consobrinus* 493–495; *C. darmandvillei* 493; *C. deccanensis* 492; *C. derongo* 493; *C. elok* 492–493; *C. feae* 464, 493–494; *C. fraenatus* 492–493; *C. fumosus* 492; *C. gansi* **sp. nov.** 467, 475–478, 492–493, 495; *C. gubernatoris* 493; *C. ingeri* 492; *C. interdigtalis* 493; *C. intermedius* 492–494; *C. irianjayaensis* 492–493; *C. irregularis* 492–493; *C. jarujini* 493; *C. jellesmae* 492; *C. jeyeporensis* 492; *C. khasiensis* 463–464, 469, 474–475, 478, 486, 492–493, 495; *C. laevigatus* 492; *C. lateralis* 492–493; *C. lorae* 493; *C. louisianensis* 493; *C. lousiadensis* 493; *C. malayanus* 492, 493; *C. malcolmsmithi* 493; *C. marmoratus* 492; *C. matsuii* 492–493; *C. mimikanus* 493; *C. nebulosus* 492; *C. novaeguineae* 493; *C. oldhami* 464, 492–494; *C. papilionoides* 493; *C. papuensis* 492; *C. paradoxus* 492; *C. peguensis* 464, 489, 492–495; *C. philippinicus* 492; *C. pubisulcus* 492; *C. pulchellus* 464, 492; *C. quadrivirgatus* 492–493; *C. redimiculus* 493; *C. rubidus* 464, 492, 494; *C. russelli* **sp. nov.** 467, 482, 484–485, 492–495; *C. sadleiri* 492; *C. sermowaiensis* 492; *C. slowinskii* 463–464, 469, 479, 485, 493, 495; *C. sumonthai* 492–493; *C. sworderi* 493; *C. tiomanensis* 493; *C. (G.) triedrus* 492; *C. tuberculatus* 493; *C. variegatus* 464, 493, 495; *C. wakeorum* **sp. nov.** 467, 479, 481–482, 485, 493–495; *C. wetariensis* 493; *C. yakhuna* 492; *C. yoshii* 492
Cybaeus 544; *C. potanini* 544
- ## D
- Daboia* 411, 413, 419, 439–440, 453–454; *D. elegans* 439; *D. russelii* 411, 413, 419, 439–440, 450, 453–454; *D. r. formosensis* 440; *D. r. siamensis* 439
Dendrodoris 170, 204; *D. grandiflora* 170
 Dendronotacea 256, 262, 302, 325, 330
Dialommus 155, 158–160; *D. fuscus* 155, 158–160; *D. macrocephalus* 155, 158–160
Delphineis 38–40, 45, 56, 58; *D. angustata* 45, 56; *D. ischaboensis* 45; *D. karstenii* 45; *D. sachalinensis* 45, 56; *D. simonsenii* 38, 45, 58; *D. surirella* 40, 45
Delphines [sic] 34, 37; *D. . simonsenii* 34, 37
Denticula kamtschatica 46
Denticulopsis kamtschatica 46
Detonula 34, 37–38, 40, 45, 50, 58; *D. confervacea* 34, 37–38, 45, 50, 58
 Diatoms 27–31, 34, 37–43, 245–249, 251, 253–254
Diaulula 65–66, 71–72, 74–78; *D. aurila* 65–66, 75–78; *D. greeleyi* 65–66, 71–72, 74–75, 78; *D. punctuolata* 78; *D. sandiegensis* 78
Di cladia 45, 52; *D. capreola* 45; *D. capreolus* 45, 52; *D. pylea* 45

- Dinodon septentrionalis* 409
Diploneis 247, 253; *D. gravelleana* 247, 253; *D. smithii* 45; *D. smithii* var. *adversa* 247, 253
Discodorididae 169–170, 205–206, 394
Discodoris 65–66, 75, 78–79, 170, 202–204, 206; *D. aurila* 65–66, 75, 78–79; *D. boholiensis* 170, 202–203
Dispholidus typus 407
Distephanus 48; *D. crux* 48; *D. speculum* 48; *D. speculum pentagonus* 48; *D. speculum speculum* 48
Disteira 413, 418, 429–430, 451; *D. doliata* 429; *D. nigrocincta* 418, 429; *D. schistosa* 430
Dolicamphilus [sic] 90, 94, 108, 125, 129; *D. longiceps* 90, 94
***Dolichamphilus* gen. nov.** 82, 85, 87, 89, 100–101, 110–111; *D. brieni* 89, 100, 110, 129; ***D. longiceps* sp. nov.** 82, 87, 94, 100, 110, 129
Doradidae 109
Doratonotus 361
Doridacea 65, 79
Doris 167, 170, 174, 190, 207; *D. grandiflora* 170; *D. grandifloriger* 170; *D. nodulosa* 174, 190; *D. novae-zelaniae* 190; *D. pustulosa* 190
Doumea 83, 87–88
Doumeinae 83, 87–88, 109–110
Draconarius 499, 500, 507, 510, 537, 561, 564, 575, 576, 662; ***D. absentis* sp. nov.** 499, 509, 514, 516–517, 585, 647; *D. acidentatus* 500, 509–510, 518, 586, 645, 647; *D. adligans* 500, 509, 511, 518, 528, 586, 645, 647; ***D. agrestis* sp. nov.** 499, 509, 517, 519, 532, 587, 647; *D. altissimus* 500, 509, 512, 516, 519, 521, 531, 534, 551, 647; *D. amygdaliformis* 500, 509, 515, 520, 647; *D. arcuatus* 509, 513, 520, 525, 588, 647; *D. argenteus* 500, 509, 515, 521, 540, 588, 647; *D. aspinatus* 508, 513, 516, 519, 521, 555, 589, 648; *D. bacca-tus* 500, 510, 540; *D. baronii* 509, 517, 521, 552, 590, 648; ***D. baxiantaiensis* sp. nov.** 499, 508, 513, 522, 544, 590, 645, 648; *D. bituberculatus* 500, 509, 515, 522, 591, 648; *D. brunneus* 500, 509, 515, 523, 529, 541, 545, 648; *D. calcari-formis* 508, 512, 516, 523, 525, 527, 555, 562, 591, 645, 648; ***D. capitulatus* sp. nov.** 499, 509, 515, 524, 529, 545, 592, 648; *D. carinatus* 500, 509, 513, 515, 524, 592, 649; *D. chaiqiaoensis* 500, 509, 515, 525, 593, 645, 648; *D. cheni* 509, 513, 520, 525, 593, 649; *D. colubrinus* 508, 512, 516, 523, 525; *D. coreanus* 508, 512, 517, 526, 543, 555, 649; ***D. curiosus* sp. nov.** 499, 510, 514, 516, 526, 532, 595, 649; *D. davidi* 508, 512, 523, 527, 555, 596, 649; *D. denisi* 500, 510–511, 519, 528, 596, 649; *D. digitusiformis* 500, 510–511, 516, 528, 597, 645, 649; ***D. disgregus* sp. nov.** 499, 510, 515–516, 523, 528, 598, 649; ***D. dissitus* sp. nov.** 499, 510, 515, 529, 598, 650; ***D. dubius* sp. nov.** 499, 510, 515–516, 530, 535, 542, 548, 599, 650; ***D. episomos* sp. nov.** 499, 509, 512, 530, 599, 650; *D. everesti* 500, 510, 517, 531, 549, 650; *D. funiushanensis* 500, 508, 512, 517, 532, 535, 650; ***D. griswoldi* sp. nov.** 499, 510, 514, 517, 519, 527, 531, 600, 651; *D. gurkha* 509, 511, 532, 549, 600, 650; *D. gyiriniformis* 500, 508, 513, 533, 650; *D. hangzhouensis* 500, 510–510, 534, 601, 651; ***D. haopingensis* sp. nov.** 499, 508, 514, 533, 539, 601, 643, 650; *D. himalayaensis* 500, 509, 511, 516, 520, 531, 534, 542, 551, 651; *D. hui* 500, 508, 512, 532, 534, 651; *D. huizhunensis* 500, 507, 509, 511, 516, 535, 541, 550, 651; ***D. incertus* sp. nov.** 499, 510, 535, 602, 651; *D. infulatus* 510–511, 536, 651; *D. jiangyongensis* 500, 510, 513, 536, 603, 643, 651; *D. labiatus* 508, 513, 536, 537, 603, 652; ***D. linxiaensis* sp. nov.** 499, 510, 516, 537, 540, 604, 652; *D. linzhiensis* 500, 508, 512, 537, 546, 555, 652; *D. lutulentus* 500, 508, 513, 517, 538, 605–606, 652; *D. magniceps* 500, 510, 514, 538, 607, 652; *D. molluscus* 508, 514, 533, 539, 607, 643, 652; *D. nanyuensis* 500, 510, 512, 539, 607, 652; *D. neixiangensis* 500, 510–511, 516, 526, 537, 540, 608, 652; ***D. nudulus* sp. nov.** 499, 510, 515, 521, 540, 608, 653; *D. ornatus* 500, 509, 516, 535, 541, 551, 609, 643, 653; ***D. parabruneus* sp. nov.** 499, 510, 514, 541, 545, 609, 643, 653; ***D. paraterebratus* sp. nov.** 499, 510, 513, 542, 609, 653; *D. parawudangensis* 499, 508, 554; ***D. patellabifidus* sp. nov.** 499, 510, 515–516, 530, 534, 542, 548, 610, 654; *D. penicillatus* 500, 510, 511, 517, 543, 611, 653; *D. pervicax* 500, 510, 513, 543, 546, 653; *D. picta* 500, 508, 512, 544, 555, 653; *D. potanini* 510, 513, 522, 544, 611, 653; ***D. pseudobrunneus* sp. nov.** 499, 510, 514, 541, 544, 612, 654; ***D. pseudocapitulatus* sp. nov.** 499, 510, 515, 524, 529, 545, 612, 655; ***D. pseudowuermlii* sp. nov.** 499, 510, 514, 546, 555, 612, 654; *D. qingzangensis* 500, 508, 512, 537, 546, 555, 654; *D. quadratus* 500, 510, 514, 544, 546, 613, 654; ***D. rotundus* sp. nov.** 499, 510–511, 547, 613, 654; *D. rufulus* 500, 509, 514–515, 547, 614, 643, 654; *D. schenkeli* 510, 511, 548, 615, 654; *D. shuang-paiensis* 645; ***D. simplicidens* sp. nov.** 499, 510, 515, 530, 542, 548, 615, 655; *D. singulatus* 510, 511, 517, 531, 533, 549, 616, 655; *D. sinualis* 500, 508, 538; *D. stemmleri* 508, 513, 549, 550, 552,

- 556, 617, 655; *D. streptus* 500, 510, 514, 550–551, 553, 655; *D. striolatus* 508, 515, 550, 617, 655; *D. strophadatus* 500, 509, 511, 535, 550, 655; *D. subtitanus* 500, 509, 512, 520, 531, 534, 551, 655; *D. syzygiatus* 500, 510, 514, 516, 550–551, 553, 656; *D. terebratus* 500, 509, 514, 516, 541–542, 551, 618, 643, 656; ***D. tibetensis* sp. nov.** 499, 510, 517, 552, 619, 656; *D. trifasciatus* 508, 513, 517, 552, 656; *D. tryblionatus* 500, 510, 514, 516, 553, 656; *D. uncinatus* 500, 510, 516, 553, 620, 643, 656; *D. venustus* 507–508, 512, 517, 554–555, 576, 656; *D. wenzhouensis* 508, 508, 513, 537, 554, 620, 656; *D. wudangensis* 499, 508, 512, 517, 521, 526, 533, 538, 544, 554, 621, 657; *D. wuermlii* 508, 513, 538, 546, 555, 622, 657; *D. yadongensis* 500, 508, 513, 549, 556, 657; ***D. yichengensis* sp. nov.** 499, 510–511, 556, 622, 657; *D. yosiiianus* 508, 512, 556, 657
- Drejerella* 373
- E**
- Easter Island: See Pacific Ocean
- Eastern Pacific 169, 198, 292, 300, 381; Gulf of Panama 437
- Echidna nocturna* 159
- Egypt 321; Suez Canal 303, 321, 330
- Elapidae 407, 413, 421, 450–452, 497; Elapinae 421; Hydrophiinae 407, 427
- Elaps* 421, 424, 427; *E. bungaroides* 421; *E. macclellandii* 427; *E. maculiceps* 424
- Elephas* 213–214, 221
- Ellisella* 261
- Ellisellidae 255–256, 260–262
- Enhydrina* 411, 413, 416, 429–430, 436; *E. zweifeli* 429; *E. schistosa* 411, 413, 416, 429–430
- Enhydria* 407
- Epeirotypus* 359
- Epibulus* 361
- Equus* 217, 219, 220
- Erinaceidae 213
- Eumotia* 247, 253; *E. indica* var. *undulata* 247, 253; *E. lunaris* var. *duolineata* 247, 253
- Eurocoelotes* 574; *E. inermis* 575
- F**
- Facelinidae 161, 167
- Femoracoelotes* 499–500, 503, 557, 576, 623–624, 658; *F. latus* 557–558, 623, 658; *F. platnicki* 557, 624, 658
- Fiji: See South Pacific
- Flabellina* 328
- Fordonia* 407
- Fragilariopsis* 38, 45, 54; *F. cylindrus* 38, 45, 54; *F. oceanica* 38, 45, 54
- G**
- Galápagos Islands 155–156, 437; Española (Hood Island) 155–156, 159
- Gagata* 85, 114
- Gargamella* 204–205
- Garra* 104
- Gastropoda 391–392, 406, 672, 674, 676, 680
- Geckoella* 464, 492
- Geitodoris* 169–170, 202–204, 206; *G. planata* 170, 202
- Gekkonidae 463, 465, 496–498
- Gephyroglanis* 82; *G. rotundiceps* 82
- Gomphonema carolinense* 247, 253
- Goslineria* 205
- Grammatophora* 45; *G. angulosa* 45
- Greece 321
- Guatemala 371–373, 377–378, 380; Izabal 377; Petén 378
- Guinea 90, 95, 110
- Gulf of Siam 431, 435, 438
- Gymnodactylus consobrinoides* 465
- Gyrosigma* 247–248, 253; *G. acuminatum* var. *angulatum* 247, 253; *G. variipunctatum* 247, 253; *G. variistriatum* 248, 253
- H**
- Halgerda* 393–406; *H. aurantiomaculata* 406; *H. dichromis* 393–394, 398, 399, 400; *H. elegans* 404–405; *H. formosa* 394, 397, 399, 406; *H. graphica* 393–399, 401, 403, 405; *H. gunnessi* 397, 398; *H. iota* 403–404; *H. johnsonorum* 397–398, 404; *H. okinawa* 393–394, 397, 399, 401–404; *H. terramtuensis* 397; *H. willeyi* 393–394, 397–398, 402, 404–405
- Hallaxa* 168, 328, 330
- HAM 663, 665–667, 669–674, 676–680; See also *Hamus*
- Hamadryas* 426; *H. elaps* 426; *H. hannah* 426; See also *Ophiophagus*
- Hamus* 665–676, 679–680, 684; See also Hypothetical taxa
- Hawaiian Islands 169, 171–172, 175, 177–178, 183–185, 189, 204–205, 207, 283–284, 286–287, 300, 302, 307–308, 311, 316–317, 329, 361, 406, 437; Oahu 171, 185, 311, 316–317

- Hemibungarus*: *H. macclellandi* 427; *H. m. macclellandi* 427
Hercotheca mamillaris 45
Himalayas 1, 209, 357, 427, 441, 574–576
Himalcoelotes 500, 521–522, 575; *H. brignolii* 521–522
Holocene 209, 215, 217, 224
Homeocladia vidovichii var. *nodulosa* 248, 253
Homiodoris novaeselandiae 190
Homo sapiens 217
Homiodoris novaeselandiae 190, 207
Hoplodoris 169–207; *H. armata* 169, 202–203, 206; *H. bifurcata* 169, 185–189, 194–195, 197–198, 202–206; ***H. bramale* sp. nov.** 169, 186, 190, 198–204, 206; *H. desmoparypha* 169–170, 174–175, 177–178, 194, 202–206; *H. estreyado* 169, 190–191, 194, 202, 204, 206; ***H. flammea* sp. nov.** 169, 186, 194–198, 202–204, 206; *H. grandiflora* 169–170, 172–184, 194, 200–206; *H. mauritiana* 202, 203, 204; *H. nodulosa* 169, 185–186, 190–194, 200–204, 206; *H. novaeselandiae* 169, 190–191, 206
Huxley's Archetypical Mollusc 665; See also HAM
Hyalodiscus obsoletus 45, 50
Hyalopyxis concava 45–46, 48, 54
Hydrophiinae (See Elapidae)
Hydrophis 411, 415–419, 429–435, 451, 453; *H. atriceps* 417, 430, 431–432; *H. (Hydrophis) atriceps* 417; *H. caeruleascens* 418, 431; *H. (Aturia) caeruleascens* 419; *H. cantoris* 411, 416–416, 431; *H. (Hydrophis) cantoris* 418; *H. fasciatus* 411, 430–432; *H. (Hydrophis) fasciatus* 417; *H. fasciatus atriceps* 430; *H. flaviceps* 431; *H. gracilis* 411, 415, 417–418, 432; *H. (Hydrophis) gracilis* 418; *H. nigrocinctus* 429; *H. obscura* 433; *H. obscurus* 411, 433; *H. (Hydrophis) obscurus* 418; *H. ornatus* 411, 433; *H. o. maresinensis* 434; *H. o. ocellatus* 434; *H. o. ornatus* 434; *H. (Aturia) ornatus* 418; *H. ornatus ornatus* 433; *H. schistosus* 429, 430; *H. spiralis* 411, 417–418, 434; *H. (Leiodelasma) spiralis* 418; *H. stricticollis* 411, 434–435; *H. (Aturia) stricticollis* 418
Hydropotes 213, 216–217, 219, 222
Hydrus 427, 429, 430, 431, 432, 434; *H. caeruleascens* 431; *H. colubrinus* 427; *H. fasciatus* 430, 432; *H. gracilis* 432; *H. major* 429; *H. spiralis* 434; *H. valakadyn* 429
Hyomacrurus 279–283, 285, 293–294, 296–298; *H. heyningeni* 280; *H. hyostomus* 280, 294, 298
Hypothetical ancestral mollusc 663; See also HAM; See also Hypothetical taxa
Hypothetical taxa (Genera *Hamus* and *Protohamus*):
H. barcalivorum 667, 670, 674, 684; *H. barnesi* 667, 674, 676, 684; *H. barthrosorum* 667, 684; *H. borrapotssorum* 667–668, 673, 684; *H. bossi* 667, 684; *H. eastoni* 667, 672–673, 675–676, 684; *H. hickmani* 667, 684; *H. huxleyi* 666, 667, 671–672, 684; *H. lankesteri* 667–668, 670, 672–673, 684; *H. meglitschi* 667, 674, 684; *H. moolafisherorum* 667, 672–673, 679, 684; *H. mortoni* 667–670, 674, 684; *H. mortonyongorum* 667–668, 670, 674, 676, 684; *Hamus* (*Schinkenus*) *naefi* 665; *H. nicholsoni* 667–668, 672–673, 675, 684; *H. pelseeneeri* 665, 667–668, 672–673, 684; *H. pojatarunnegarorum* 669, 670, 684; *H. (Jambonus) portmanni* 665; *H. ravenjohnsonorum* 667, 669–670, 674–675, 684; *H. russellhunteri* 667, 674–676, 684; *H. salvinisteinerorum* 667, 670, 674, 684; *H. seedi* 667–670, 684; *H. staseki* 667, 684; *H. swinnertoni* 667, 672–676, 684; *H. yongethompsonorum* 667–670, 676, 684; *Protohamus verrilli* 665; *P. yongi* 666
Hystrix 212, 213, 217, 220, 222, 223

I

In Memoriam: Yuri Igorevich Sazonov 299; Joseph Bruno Slowinski 411

Ictaluridae 110

Iberian Peninsula 382; See also Portugal; See also Spain

India 1–2, 11, 14–15, 24, 26, 141, 146, 151–153, 419, 421–422, 426–428, 430–433, 435–436, 439–446, 449–451, 453, 463–465, 486, 494, 496–497; Assam 11, 14, 26, 141, 421, 425–427, 443–446, 486, 495–496; Bengal 421, 425–426, 429–431, 435, 446, 496; Khasi Hills 11, 421, 442; Madras 151; Orissa 435; Palni Hills 151; Sikkim 421, 427, 440, 446

Indian Ocean 167, 279, 281, 284–287, 290, 300–301, 318, 329, 331, 431; Andaman and Nicobar Islands 448, 464; Bay of Bengal 283, 287–288, 428–431, 435; Maldives 284, 287; Mascarene Ridge 287–288, 290–291; Ninety East Ridge 290–291, 295; Saya de Malha Bank 281, 284–286, 290–291; Socotra 284, 286–287

Indonesia 1, 15, 113, 153, 169, 191, 194, 255, 259, 288–289, 311, 315, 329, 369, 422, 425–426, 428, 430–432, 435, 437, 440–442, 445, 447–448; Ambon 1; Bali 169, 175, 186, 194, 196–197, 204; Batjan 369; Coral Sea 191, 361, 364–365, 369; Java 422, 428, 432, 438, 440; Kalimantan 422, 447; Lombok Island 440; Mentavay Ridge 287–288; Moluccas 1, 15; Sulawesi (Celebes)

- 288, 294, 296, 435, 445; Sumatra 1, 284, 286–287, 422, 427–428, 432, 440–441, 447–448, 450, 494; See also Borneo; See also Straits of Malacca
 Indo-Pacific 161, 167–168, 204, 207, 260, 262, 283–284, 303, 311–312, 314, 322–323, 328, 330, 361, 381, 405, 406
 Iran 1, 151; Seistan and Baluchestan Province 151
- J**
- Jacunia papillosa* 315
 Japan 25, 34, 37, 39–41, 43, 167, 185, 189, 206, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 302, 308, 313, 315, 321, 323, 329, 356, 370, 392, 399, 401–403, 405, 428, 436, 501, 564, 566–569, 575–578; Honshu 315, 399; Izu Peninsula 399, 401; Ryukyu Islands 185, 312–313, 315, 321, 402, 434, 578; Okinawa 167, 185–189, 205, 255–257, 259–261, 263, 265, 267, 269, 271, 273, 275, 277, 302, 312–313, 315, 321, 369, 391, 393–394, 397, 399–406
 Jorunna 205
Justicia 371–380; *J. angustiflora* 378; ***J. dendropila* sp. nov.** 371–376, 378; *J. jitotolana* 378; *J. lindeni* 378; *J. masiaca* 378; *J. multicaulis* 378; *J. nelsonii* 378; *J. nevlngii* 378; *J. stellata* 375; *J. tabascina* 371, 373, 377–378; *J. valvata* 371, 373, 376–378; *J. viridescens* 373, 375–378; *J. warnockii* 378
- K**
- Kerilia* 411, 415–416, 435; *K. jerdoni* 411, 415–416, 435
 Kinshasa 90, 92, 94, 96–97, 99–100, 104–107, 118
Kryptopterus 85
 Kumba 282, 300, 301
Kurixalus 23; *K. eiffingeri* 24; *K. idiootocus* 24
Kuronezumia 282, 301
 Korea 501, 507, 526, 566–567, 575–577
- L**
- Labrisomidae* 155, 158, 160
Labrisomus 158–159
 Laos 425
Lapemis 413, 417, 419, 436, 450, 453; *L. curtis* 436; *L. curtis hardwickii* 436; *L. hardwickii* 417, 419, 436
Laticauda 407, 411, 413, 416, 424–425, 451; *L. colubrina* 407, 411, 416, 427–428; *L. laticaudata* 407, 411, 413, 416, 428; *L. scutata* 427
Leiocassis 85
Leptocoelotes 499–500, 558–559, 566, 576, 625–626, 658; *L. edentulus* 558–559, 625, 658; *L. pseudolunifformis* 558–559, 626, 658
Leptoglaninae subfam. nov. 81–91, 93, 95, 97, 99, 101, 103, 105, 107–113, 115, 117–119, 121–125, 127, 129, 131
Leptoglanis 81–84, 86–87, 89, 91–92, 94–95, 97–100, 107–111, 114, 117, 119–122, 124; *L. brevis* 81, 98–99; *L. flavomaculatus* 95, 96; *L. mandevillei* 81, 94, 97; *L. rotundiceps* 81, 94, 98; *L. rotundiceps* 84, 98–99; *L. bouilloni* 81; *L. brieni* 81, 100; *L. camerunensis* 81, 83, 94; *L. cf. dorae* 84, 95; *L. dorae* 95; *L. xenognathus* 81–83, 87, 89, 91–92, 100, 107–108, 110–111, 117, 119–122, 124
Lepus 213, 220, 222, 223
Lionurus 282
Longicoelotes 499–500, 559–560, 576, 627, 659; *L. karschi* 559–560, 627, 659; *L. kuliananus* 500, 559–560, 659; *L. senkakuensis* 500, 559–560, 659
Louteridium 371, 380
Liradiscus ellipticus 46
Lithodesmium 34, 38, 46, 62; *L. minusculum* 34, 38, 46, 62
Lucigadus 282, 293
Lufengpithecus 221
Lycodon 409; *L. fasciatus* 409; *L. zawi* 11, 409
- M**
- Mabuya homolacephala* 234
Macaca 217, 219, 220; *M. mulatta* 219
Macrocystis 310
Macrouridae 279, 282, 300, 301
Macrourus 280–282, 284, 288, 293–294; *M. hyostomus* 280–282, 293–294; *M. microstomus* 284
Macrurus 281, 283, 292–294; *M. heyningeni* 293; *M. macrolophus* 283; *M. microstomus* 281; *M. tenuicauda* 281, 292, 294
 Madagascar 170–172, 175–176, 181–182, 356, 369
 Madeira 382, 391
Malacocephalus 292, 293
Malacoctenus 158–159; *M. zonogaster* 159
Malapteruridae 109
Malapterurus 85
 Malaysia 1, 150–152, 422, 424–425, 427–428, 430–432, 435–436, 440, 442, 445, 447–448, 450, 497, 687; Sabah 1; See also Borneo; See also Straits of Malacca
 Malaysian Peninsula 428, 441
 Maldives: See Indian Ocean
Marionia 325–328

- Marshall Islands: See South Pacific
Mastogloia 248, 253; *M. obliqua* 248; *M. sancti-johannis* 248, 253
Mataeocephalus 279–299, 301; *M. acipenserinus* 279, 281, 283–287, 292–293; *M. (M.) acipenserinus* 283; *M. adustus* 279–280, 282, 288–289, 293; *M. (M.) adustus* 283; ***M. cristatus* sp. nov.** 279–280, 285, 290–291, 293, 295; *M. (M.) cristatus* 283; *M. hyostomus* 279, 293–294; *M. (Hyomacrurus) hyostomus* 283, 285, 294; ***M. kotlyari* sp. nov.** 279, 293–294, 296; *M. (Hyomacrurus) kotlyari* 283, 285; *M. microstomus* 279, 284, 286; *M. nigrescens* 279, 282, 284–287, 293; *M. tenuicauda* 279, 282, 286, 292–294, 298; *M. (M.) tenuicauda* 283
Maticora 423, 424, 452–453; *M. bivirgata* 424; *M. intestinalis* 424; *M. lineata* 423; *M. maculiceps* 424; *M. nigrescens* 424
Mauritius 169, 171
Maymena 359
Mediterranean 321, 331, 381–382; Strait of Gibraltar 381–382, 388
Megalostoma 371–373, 375–379; *M. viridescens* 371–372, 377
Megatapirus 213, 223
Melanesia: See South Pacific
Melibaea australis 303
Melibe 302–303, 305, 307, 309–319, 321–325, 327–353, 355; *M. australis* 302–303, 324, 326, 328; *M. bucephala* 302–303, 305, 316, 318, 323–324, 329, 333; *M. capucina* 324, 328; ***M. digitata* sp. nov.** 302, 305, 307, 309, 312, 314, 321, 324–326, 329, 332, 334–336; *M. engeli* 302, 307, 309, 324, 329, 332, 337–339, 340; *M. fimbriata* 315, 321, 323–324, 331; *M. japonica* 324; *M. leonina* 302, 310, 324, 327–328; *M. liltvedi* 302, 310–311, 319, 324, 328; *M. maugiana* 324, 328; *M. megaceras* 302, 311–312, 314, 324, 327, 329, 331; ***M. minuta* sp. nov.** 302, 312, 314, 324, 326, 332, 341–343; *M. mirifica* 324; *M. ocellata* 324, 328; *M. papillosa* 302, 315–316, 318, 322–324, 344–345; *M. pilosa* 302, 316, 318, 323–324, 345–347; *M. rangi* 324; *M. rosea* 302, 311, 318–319, 324, 328, 348; ***M. tuberculata* sp. nov.** 302, 307, 309, 312, 314, 319, 321, 324–325, 332, 349–351; *M. tuberculosa* 329; *M. vexillifera* 316, 321, 323–324; *M. viridis* 302–303, 305, 312, 316, 318, 321, 323–324, 327, 329, 352–353
Meliboea 303, 321, 323–324; *M. fimbriata* 323–324; *M. viridis* 321, 323
Melosira 43, 45; *M. albicans* 45
Meroles knoxi 234
México 65, 68, 71, 73–74, 225, 227–230, 300, 310, 371–373, 375, 377–380; Baja California 73, 79; Chiapas 225, 227–230, 379; Nayarit 71, 73–74, 79; Quintana Roo 373, 375; Sonora 68; Tabasco 373, 378–379; Veracruz 373, 377–378
Microcephalophis 431–432; *M. cantoris* 431; *M. gracilis* 432
Micromys 213
Microphocommataidae 359
Microtus 213
Miocene 11, 27, 28, 34, 37, 39–43, 114, 221
Mnierpes 155, 158–160; *M. macrocephalus* 159
Mnierps [sic] 159
Mnierpini 155, 158, 160
Mochokidae 109–110, 113
Mollusca (molluscs) 65, 79, 161, 167–168, 206–207, 255, 262, 329, 330, 391–393, 406, 663–666, 669, 672, 674, 676–683; See also Huxley's Archetypical Mollusc; See also HAM; See also Hypothetical ancestral mollusc
Mozambique 231, 237, 284, 286–287, 321–322
Muntiacus 212–213, 216–217, 219–221, 223
Muraena lentiginosa 159
Mustela 219
Myanmar: 1–5, 7, 9–19, 21, 23–25, 141–147, 149–153, 209, 357, 407, 409–411, 413–415, 417, 419–455, 457, 459, 461, 463–465, 467, 469–471, 473–479, 481–483, 485–487, 489, 491–497; Ayeyarwady delta 427, 440, 448, 463, 471, 475; Ayeyarwady Division 421, 425–426, 430, 433, 440, 448, 470, 475; Bago Division 435, 440; Chin Hills 1, 10–11, 15, 443, 447, 463, 479, 495; Chin State 3–4, 9–14, 150–151, 425, 443, 447, 449, 474–476, 479; Indo-Burman Range 1, 11, 469; Kachin State 14, 151, 410, 421, 423, 425, 427, 439, 441, 443–444, 446, 449, 482, 486; Magway Division 14, 151, 422, 425–426, 440; Mandalay Division 11, 14, 422–423, 425–426, 427, 440, 496; Mergui Archipelago 431, 435–436; Mon State 11, 14, 150, 435, 447–448, 463, 469, 489, 492; Rakhine State 11, 19, 21, 25, 141–142, 150–151, 422, 425, 428, 435, 446, 463, 470–471, 474–475, 479, 482; Rakhine Yoma 11, 19, 21, 25, 141–142, 150–151, 443, 463, 469–471, 475, 479, 482, 495; Sagaing Division 10–11, 13–14, 422–423, 425–426, 440, 446, 463, 465, 469, 479, 482, 486; Ponnyadaung Range 10–11; Shan State 11, 13, 409, 423, 440, 449, 463, 486, 489; Tanintharyi Division (Tenasserim) 422, 426, 431, 433, 435–436, 447–448, 463, 469, 495; Yangon Division 422–423, 425, 427, 435, 440, 446
Myospalax 213

Myotis 213
Mysmena 359
 Mysmenidae 359
Mystus 85, 113–114

N

Naatlo 359
Naemorhedus 217, 219, 223
Naja 409, 411, 414, 424–426, 450–452, 497; *N. hannah* (see also *Ophiophagus*) 426; *N. kaouthia* 409, 411, 414, 424–425, 453; *N. lutescens* 424; *N. mandalayensis* 409, 414, 425, 453; *N. naja kaouthia* 424–425
Nangra 85, 114
Nautilus 677, 683
Navicula 245, 248–249, 253–254; *N. borinquensis* 245; *N. congerana* 248, 253; *N. disticha* 245; *N. expansa* 248, 253; *N. glacialis* 46; *N. guaynabensis* 248, 253; *N. howeana* 248; *N. incomposita* 249, 253; *N. incomposita* var. *minor* 249, 253; *N. lyra* var. *irregularis* 249, 253; *N. mannii* 249, 253; *N. notanda* 245; *N. tubulosa* var. *rhomboidea* 249, 253
 Nembrothinae 381, 382, 388
Neodenticula 27–28, 31, 34, 37–39, 43, 46, 58, 60; *N. kamtschatica* 27–28, 31, 34, 37–39, 46, 58, 60; *N. koizumii* 38
 Neogene 27, 31, 34–35, 39–43
 Neolithic 210, 217, 224
Neopilina 676–677
 Nepal 151, 425, 440–441, 443, 445, 451, 507, 532–533, 574–576
 New Caledonia 262, 280, 284, 287, 297, 300, 308–309, 361, 366, 369, 428
 New Guinea 430, 434, 436, 450
 New Zealand 189–191, 207, 360
Nezumia 282, 293, 296
 Niger Basin 83, 86, 95, 110
 Nile Basin 109–110
Nitzschia 34, 43, 45–46, 54, 249–250, 253; *N. brittonii* 249; *N. cylindra* 45; *N. cylindrus* 45; *N. extincta* 46; *N. grunowii* 45; *N. hemistriata* 249, 253; *N. kamtschatica* 34; *N. koizumii* 34; *N. miramarensis* 250, 253; *N. obtusa* 250, 253; *N. obtusa* var. *lata* 250, 253; *N. obtusa* var. *undulata* 250, 253; *N. ponciensis* 250, 253; *N. quickiana* 250, 253; *N. rolandii* 34, 46, 54
 North Pacific 27–28, 31, 34–35, 37–42, 45
Nophodoris 204–205
 Nudibranchia 65, 79, 161, 167–169, 206–207, 255, 262, 330, 381, 391, 393, 405–406

O

Occidozyga 21
Ochotona 213
 Octocorals 168, 255–256, 259–263
Odontella aurita 46, 52
Ogilbia deroyi 159
Ogulnius 359
Ompok 85
Onchidoris 204–205
Ophiophagus 411, 414, 426, 452–453; *O. hannah* 411, 414, 426, 453
Opisthobranchia 167, 169, 207, 262, 302, 329–330, 391, 405, 406
Otinodoris 204
Ovis 213, 217, 219, 223
Oxycheilinus 361, 362–367, 369–370; *O. arenatus* 361; *O. bimaculatus* 361; *O. celebicus* 361; *O. digrammus* 361; *O. lineatus* sp. nov. 362, 364–366, 369; *O. mentalis* 361; *O. nigromarginatus* sp. nov. 364–366, 369; *O. orientalis* 361, 369–370; *O. unifasciatus* 361
Opephora schwartzii 46
Ovophis 410–411, 419, 440–441, 451, 454; *O. monticola* 411, 419, 440–441; *O. m. convictus* 441; *O. m. makazayazaya* 442; *O. m. zayuensis* 442; *O. m. monticola* 440–441

P

Pacific Ocean 381, 405–406, 495; Easter Island 317; Palau Islands 169–173, 175, 179–181; See also Eastern Pacific; See also Hawaiian Islands; See also Indo-Pacific; See also South Pacific; See also Western Pacific
 Pakistan 431–432, 440
 Palau Islands: See Pacific Ocean
 Panama 26, 65, 68, 75, 77, 153, 160, 281, 292, 356, 437; Canal Zone 68, 75
 Pangasiidae 85, 110, 114
Panthera 213, 217, 223
 Papua New Guinea 171, 289
Paracoelotes 555, 568, 570, 574–575; *P. luctuosus* 575; *P. spinivulvus* 575; *P. wuermlii* 555
Paralia sulcata 38, 46, 62
Paramphilius 83, 87; *P. firestonei* 87; *P. teugelsi* 87
Patu 356, 357–360; *P. samoensis* 356, 358; *P. vitienensis* 356
Pelamis 419, 437, 451; *P. platurus* 419, 437
Peltodoris 65–66, 71, 73–74, 79; *P. greeleyi* 65, 71, 73–75; *P. nayarita* 65–66, 71, 74–75, 79
 Perciformes 155

- Persian Gulf 430, 432, 434–436, 438
Pharodoris 205
Phenilia 261
Philautus 17, 21–23, 26; *P. cherrapunjiae* 22–24; *P. romeri* 22–24
 Philippine Islands: 161–162, 170–171, 175–176, 185–186, 191, 194, 279, 282, 284, 286–288, 294, 296, 298, 300–302, 305, 307–309, 319, 321–322, 324, 329, 340, 426, 430, 435–436; Cebu 171; Luzon 162, 185, 279, 294, 296, 305, 307, 319, 321; Sumilon 170
 Philippine seas 284
Phractura 83, 87
Phyllodesmium 161–168; *P. briareum* 167; *P. colemani* 167; *P. crypticum* 166; *P. guamensis* 161, 166–167; *P. horridum* 166; *P. hyalinum* 166; *P. iriometense* 166; *P. kabiranum* 166; *P. longicirrum* 166; *P. macphersonae* 166; *P. magnum* 161, 166; *P. opalescens* 166; *P. parangatum* **sp. nov.** 161–166; *P. pecten* 166; *P. serratum* 166–167
 Pimelodontidae 112
Pinnularia 245, 250–253; *P. laterittata* var. *minor* 245, 250–251, 253; *P. titusiana* 252–253; *P. viridis* var. *subconstricta* 252–253
Plagiacanthus 373
 Plato 359
Platocoelotes 499–500, 502, 507, 561–564, 576, 628–631, 659; *P. kailiensis* **sp. nov.** 500, 561–562, 630, 659; *P. icohamatoides* 561, 562–563, 629, 659; *P. icohamatus* 561–562, 659; *P. impletus* 561–562, 564, 628, 659; *P. lichuanensis* 561–563, 631, 659
Platydorid 167, 204–205, 328, 330
 Pleistocene 209, 213, 215, 217, 220–221, 223–224, 437
Pleurosigma 46, 252–254; *P. angusti-convexum* 252–253; *P. portoricense* 252; *P. portoticense* [sic] 253; *P. strigosum* var. *incisum* 252, 254
 Pliocene 27, 30–31, 34, 37, 39–43, 221
 Polyceridae 381, 382
Polypedates 21, 23; *P. leucomystax* 21
Porosira 38, 40, 46, 52, 60, 62; *P. glacialis* 38, 46, 62; *P. punctata* 46, 52, 60
 Portugal 382, 383
Praescutata 411, 437–438; *P. viperina* 411, 438
 Pribilof Islands 27, 38–39, 41, 45
Proboscia 41, 46; *P. alata* 46; *P. barboi* 46
Propemelibe mirifica 303, 323
Propomelibe mirifica 321, 324
Protobothrops 410–411, 419–420, 442–444, 451, 454; *P. jerdonii* 411, 420, 442; *P. kaulbacki* 419, 443; *P. mucrosquamatus* 411, 419, 442, 444
Psammodynastes 407
Psammophiletria **gen. nov.** 82, 84, 87–89, 101–102, 111; *P. delicata* **sp. nov.** 82, 87–88, 102, 110, 130; *P. nasuta* 82, 84, 87–88, 101–102, 111, 130
Psammophyletria [sic] 88, 90, 100, 102, 108, 111, 123, 125, 130; *P. delicatus* 90, 111; *P. nasuta* 88, 90, 102, 108, 123, 125
Pseudoboa fasciata 421
Pseudoboa fasciatus 421
Pseudocordylus nebulosus 236
Pseudopodosira elegans 48
Pseudopyxilla 46, 62; *P. americana* 46, 62; *P. rossica* 46
 Pterostichini 238
Pterotheca 47; *P. kittoniana* 47; *P. kittoniana* var. *kantschatica* 47
 Puerto Rico 245, 247, 249, 251, 253
 Pulmonata 225, 230
Pyxidicula zabelinae 46, 50
- ## Q
- Quaternary 27, 35, 37, 39, 40, 42
- ## R
- Rana* 21; *R. alticola* 21; *R. erythracea* 21; *R. lateralis* 21; *R. limnocharis* 21; *R. nigrovittata* 21
Rattus 212–213
 Red Sea 262, 303, 329, 369–370
 Republic du Congo 96–97, 99–100, 104–107; See also Republique du Congo
 Republique Centrafricaine 92, 97, 101–102, 104, 106–107
 Republique du Congo 92, 94; See also Republic du Congo
 Reunion 170, 172, 174, 181–182
Rhabdonema japonicum 46
Rhabdophis 407, 452, 454; *R. subminiatus* 452, 454
 Rhacophoridae 16–17, 26
Rhacophorus 23
Rhaphoneis 34, 37, 45–46, 56, 60; *R. amphicerus* 46; *R. amphicerus* var. *angularis* 47; *R. angularis* 34, 37, 46, 56, 60; *R. sachalinensis* 45
Rhinoceros 212, 214, 217, 219, 220; *R. cf. sinensis* 217, 220
 Rhinocerotidae 213
Rhizomys 213, 217, 219–220, 222–223
Rhizosolenia 46–47, 56; *R. alata* 46; *R. barboi* 46; *R. curvirostris* var. *inermis* 46; *R. hebetata* 47, 56; *R. hebetata* f. *hiemalis* 47; *R. hebetata* f. *semispina* 47; *R. setigera* 47; *R. styliformis* 47

- Roboastra* 381–392; *R. caboverdensis* **sp. nov.** 381, 383, 387–391; *R. europaea* 381–386, 388–392; *R. gracilis* 381, 389, 392; *R. luteolineata* 381, 392; *R. rubropapulosa* 381; *R. tigris* 381
- Robusticoelotes* 576
- Russia 501, 566–567, 575–576; Far East Russia 575–576; Siberia 437
- S**
- Saudi Arabia 151
- Scelotes* 231–237; *S. anguineus* 231; *S. arenicola* 235; *S. bidigitatus* 233; *S. bipes* 231, 233–235; *S. brevipes* 233; *S. cafer* 231; *S. gronovii* 231, 235–236; *S. guentheri* 233; *S. kasneri* 231–236; *S. sexlineatus* 231, 233–235; *Scelotes montispectus* **sp. nov.** 232–236
- Schilbeidae 108–109
- Sciuridae 213, 223
- Sciurotamias* 213
- Sclerodoris* 204, 406
- Scorpaena mystes* 159
- Semiconchula* 225–230; *S. custepecana* 225, 229; *S. breedlovei* **sp. nov.** 225–226, 228–230
- Senegal Basin 110
- Silicoflagellates 30–31, 41–42, 48
- Silurichthys* 85
- Singapore 425, 427, 447, 448, 450
- Sinoadapis* 221
- Sinomicrurus* 411, 414–415, 427, 453; *S. macclellandi* 411, 414–415, 427
- Sisoridae 82, 107, 113
- Socotra: See Indian Ocean
- Sokodara* 285, 301; *S. johnboborum* 285; *S. misakia* 285
- Solomon Islands: See under South Pacific
- Somalia 283–284, 286–287
- Sonorella* 229–230
- Soricidae 213
- South Africa 168, 231, 233–237, 310–311, 318, 328, 398, 399, 405; Cape Province 231, 234–236, 310, 318; KwaZulu–Natal Province 231; Limpopo Province 231; Mpumalanga Province 231; Natal 398; Western Cape Province 231, 234–235; Swaziland 231, 237
- South China Sea 284, 286–287, 290–291, 295
- South Pacific: 191, 361; Cook Islands 361–362, 364–365; Chesterfield and Bellona Plateau 280, 283, 296–298; Chesterfield Bank 361, 364–365, 369; Fiji 356, 358; Loyalty Islands 280, 283, 298; Markus–Necker Ridge 290–291, 295; Marshall Islands 191, 369; Melanesia 428, 432; Pitcairn Islands 361, 365; Polynesia 428; Rarotonga 361–362, 364–365; Sala-y-Gomez Ridge 284, 286–287; Samoa 356, 358; Solomon Islands 191, 464; Tahiti 361, 365; Vanuatu 280, 284, 288–289, 296–298; Wallis and Futuna Islands 283–284, 296; See also New Caledonia
- Spain 381, 382, 391–392
- Sphagemacrurus* 282, 293
- Spiricoelotes* 499–500, 502, 507, 561, 564–566, 576, 631–632, 645, 660; *S. pseudozonatus* 500, 564, 565, 631, 660; *S. urumensis* 564–566, 660; *S. zonatus* 564–566, 632, 645, 660
- Sri Lanka 145, 151–152, 321, 323, 431–432, 435–436, 440, 464
- Starksia galapagensis* 159
- Staurodoris pustulata* 190
- Stauroneis similaris* 252, 254
- Steatoda* 133–139; *S. cingulata* 138; *S. mainlingensis* 133–134; *S. mainlingoides* **sp. nov.** 133, 135; *S. pardalia* **sp. nov.** 133–136; *S. terastiosa* 137; *S. tortoisea* 133, 135, 138–139
- Stegodon* 212–214, 221; *S. cf. yangyiensis* 221; *S. elephantoides* 221
- Stegolophodon yangyiensis* 221
- Stellarima microtrias* 47
- Stephanogonia hanzawae* 47, 50
- Stephanopyxis* 47; *S. turris* 47
- Straits of Malacca 431–432, 435–436
- Sus* 213, 217, 219–220, 223
- Symphytognatha* 356, 359; *S. globosa* 356, 359; *S. imbulunga* 356
- Symphytognathid spiders 356, 360
- Symphytognathidae 356, 359–360
- T**
- Tabascina* 371, 373, 376–378; *T. lindenii* 378
- Tadzhikistan 507, 576
- Taiwan 25–26, 409, 425, 432, 434, 436, 440–442, 444, 448–449, 451, 501–503, 537, 557–559, 576, 578; See also China
- Taiwania* 357
- Tajikistan 554
- Talpidae 213
- Tambja* 389–391; *T. simplex* 390–391
- Tanzania 170–172, 175, 231, 323, 330, 356
- Taringa* 65–66, 69–71, 79; *T. aivica* 65–66, 69–71, 79; *T. aivica aivica* 65, 71; *T. aivica timia* 65–66, 71, 79; *T. telopia* 66
- Tasmania 437; See also Australia
- Tegecoelotes* 499–500, 558, 566–569, 575–576, 633–635, 660; *T. bicaudatus* 566–567; *T. cora-*

- sides* 566–568, 634, 660; *T. ignotus* 566–568, 635, 660; *T. michikoeae* 566–567, 569, 660; *T. muscicapus* 566–567, 569, 635, 660; *T. secundus* 566–567, 633, 660
- Tegenaria* 520, 551, 567–569, 577–578; *T. corasides* 568, 578; *T. domestica* 520; *T. muscicapa* 569; *T. pagana* 551; *T. secunda* 567
- Tethydidae 302, 324–325, 328
- Tethys* 302, 325, 327–329; *T. fimbria* 325, 328
- Tetracamphilius* [sic] 88; *T. pectinatus* 88
- Tetracamphilius** **gen. nov.** 81, 84, 86–88, 90, 92–93, 101–108, 111, 125, 131–132; *T. angustifrons* 84, 87, 90, 103, 105–106, 111, 131–132; **T. clandestinus** **sp. nov.** 81, 84, 88, 103, 105–106, 110–111, 132; *T. notatus* 87, 90, 103, 105–107, 132; **T. pectinatus** **sp. nov.** 81, 87–88, 90, 92–93, 102–104, 108, 111, 125, 131
- Thailand 11, 13, 15, 24–26, 113–114, 150, 153, 303, 329, 419, 422, 424–432, 440–442, 445, 447–448, 450, 453, 464, 493, 496, 498, 577; Chiang Mai Province 11, 13; Kanchanaburi Province 493
- Thalassophina* 413, 417, 437–438; *T. viperina* 413, 417, 437–438
- Thalassophis* 413, 438; *T. viperina* 413, 438
- Thalalassiosira* 48; *T. margaritae* 48; *T. orientalis* 48
- Thalassionema* 37–38, 47, 54; *T. nitzschioides* 38, 47, 54; *T. schraderi* 37
- Thalassiosira* 27, 34, 37–40, 42, 45–48, 50, 52, 54, 56, 60, 62; *T. antiqua* 34, 47, 54; *T. borealis* 48; *T. convexa* 34, 37, 47, 56, 60; *T. decipiens* 47–48; *T. delicata* 47; *T. dolmatovae* 47, 50, 54; *T. eccentrica* 47, 56, 60; *T. gravida* 38, 47, 52; *T. gravida f. fossilis* 47; *T. hyalina* 38, 47, 54; *T. insigna* 45; *T. jacksonii* 34, 47, 60; *T. jouseae* 34, 37–38, 47, 50; *T. kryophila* 38, 47, 52; *T. latimarginata* 27, 34, 37–39, 47, 50, 60; *T. leptopus* 38, 47, 56; *T. lineata* 38, 48; *T. manifesta* 48, 62; *T. marujamica* 34, 48, 54; *T. nativa* 48, 50; *T. nidilus* 48; *T. oestrupii* 27, 34, 37–39, 48, 54; *T. praeoestrupii* 34, 37, 40, 48, 62; *T. punctata* 46; *T. sheshukovae* 34, 48, 50; *T. temperei* 27, 34, 37–39, 48, 54; *T. tertiaria* 34, 37, 48; *T. trifulta* 47; *T. undulosa* 46, 48, 56; *T. usatschevii* 46; *T. zabelinae* 46
- Thalassiothrix* 48, 54, 56; *T. longissima* 48; *T. robusta* 48, 54, 56
- Thelotornis capensis* 407
- Theridiidae 133, 140
- Theridiosomatidae 359
- Tomocodon chilensis* 159
- Tonsilla* 499–500, 569–575, 636–642, 645, 661–662; *T. eburniformis* 570–571, 636, 661; *T. imitata* 570–572, 661; *T. lyratus* 570, 572–573, 640, 645, 662; *T. makros* 500, 570, 573–574, 642, 662; *T. tautispinus* 570, 572–573, 640, 662; *T. truculenta* 569–572, 636–640, 661; *T. variegatus* 570, 573–574, 641, 662
- Trachyglanis* 83
- Trachyneis aspera* var. *atomus* 252, 254
- Trachypithecus* 220, 222
- Trichomycteridae 112
- Trigonocephalus* 444–445; *T. erythrurus* 445; *T. mucrosquamatus* 444; *T. purpureomaculatus* 447
- Trimeresurus* 409–411, 413, 419–420, 440–449, 451–452, 454; *T. albolabris* 420, 444–445; *T. a. albolabris* 444; *T. a. insularis* 445; *T. a. septentrionalis* 445; *T. erythrurus* 411, 413, 420, 445–446; *T. flavoviridis* 442; *T. jerdonii* 442; *T. j. bourretti* 443; *T. j. xanthomelas* 443; *T. kaulbacki* 443; *T. medoensis* 419, 446, 450, 452; *T. monticola* 440; *T. m. monticola* 440; *T. mucrosquamatus* 411, 444; *T. popeiorum* 411, 420, 446–447; *T. popeorum* 446–447; *T. purpureomaculatus* 413, 419–420, 447–448; *T. p. purpureomaculatus* 447; *T. stejnegeri* 409, 411, 420, 447–450; *T. s. stejnegeri* 448; *T. s. yunnanensis* 449; *T. yunnanensis* 409, 420, 447–449
- Tritonia* 255–257, 259–263, 265, 267, 269, 271, 273, 275, 277; **T. bollandi** **sp. nov.** 255–256, 259–262; *T. olivacea* 255, 257, 259, 262, 269, 271
- Tritoniidae 256, 259–262
- Trochosira* 45–46, 48; *T. concava* 45; *T. spinosa* 46, 48
- Tropidoneis van-heurckii* var. *maxima* 252, 254
- Turkey 152; Icel Province 152
- ## U
- United States 73, 171; California 37–38, 68, 71, 73, 310, 319, 328, 437; Florida 73; South Carolina 73, 79; See also Hawaiian Islands
- Urocoras* 574–575; *U. nicomedis* 575; *U. phthisicus* 575
- Uropterygius macrocephalus* 159
- Ursus* 212–214, 217, 219–220, 223
- ## V
- Ventrifossa* 282, 293, 301
- Verrucella* 255, 260–261; *V. aurantia* 255, 260–261
- Verspertilionidae 213
- Vietnam 24–26, 190–191, 291, 321, 409, 422, 425, 427, 432, 439, 441, 443–445, 447–449
- Viminella* 261
- Vipera* 439; *V. daboia* 439; *V. russelli* 439; *V. russelli*

siamensis 439; *V. russellii* 439

Viperidae 407, 438, 450

Viperinae 407, 438

Viverridae 213

Volta Basin 110

W

Wadotes 500, 503, 556, 574, 576; *W. yadongensis* 556

Western Pacific 167, 198, 207, 279, 290, 321, 329

Wetmorella 361

Cheilinus arenatus 361

X

Xanthiopyxis 48; *X. globosa* 48; *X. ovalis* 48

Xanthonychidae 225

Xenochrophis 407

Z

Zaireichthys 81–84, 86–90, 92–99, 101, 104, 106, 108–113, 122–124, 126–128; *Z. camerunensis* 83, 86–87, 89–90, 93–94, 110, 123, 127; *Z. dorae* 89–90, 92–93, 95, 98; *Z. cf. dorae* 84; *Z. flavimaculatus* [sic] 92; *Z. flavomaculatus* 90, 92–93, 95, 98; *Z. flavomarginatus* [sic; for *flavomaculatus*] 95; *Z. heterurus* 84, 86–87, 90, 93, 96–97, 110, 128; *Z. mandevillei* 84, 87, 90, 93, 96–97, 106, 111, 123, 127–128; *Z. rhodesiensis* 82; *Z. rotundiceps* 81–84, 86–87, 89–90, 92–93, 95, 97–98, 108, 128; *Z. zonatus* 81–83, 87, 90, 92–94, 98, 104, 110, 113, 122, 124, 126–127

Zanzibar 284, 321, 330, 369

Zostera marina 310

Zygodon 221