

**Indexes to Volume 56
and to
Supplements I and II**

(Compiled by Michele L. Aldrich and Alan E. Leviton).

Index to Volume 56 for 2005

Articles 1 through 37 and Short Communications

- Acacia greggii* 88, 311
Acanthaceae 88, 90, 607, 608, 615
Acanthodoris 1, 16, 213–216, 218–239, 246, 251, 255, 258, 261, 263–267; *A. armata* 235; *A. atrogriseata* 236; *A. brunnea* 213, 216, 220–221, 264; *A. caerulescens* 236; *A. citrina* 215, 239; *A. columbina* 227, 229; *A. falklandica* 213, 221–223, 237, 239, 261, 264–265, 267; *A. globosa* 231, 236; *A. hudsoni* 213, 216, 223–225, 264; *A. lutea* 213, 216, 225–227, 239, 264; *A. metulifera* 236; *A. mollicella* 236; *A. nanaimoensis* 213, 216, 227–229; *A. ornata* 213, 229–231, 236, 239, 261, 265, 267; *A. pilosa* 213, 215–216, 218–219, 239, 261; *A. pilosa* var. *pallida* 215; *A. pilosa* var. *albescens* 215; *A. pilosa* var. *novzealandiae* 215; *A. pilosa* var. *purpurea* 215; *A. pina* 213, 216, 231–233, 264; *A. planca* 216, 237–239, 265; *A. rhodoceras* 213, 216, 233–235; *A. serpentinotus* 213, 216, 235, 264; *A. stellata* 215; *A. stohleri* 231, 233, 267; *A. uchidai* 236; *A. vatheleti* 237
Acanthodoridinae 214
Acanthurus monroviae 86
Aciodoris 1–2
Acourtia wrightii 88
Acropya 666
Acropyga 601–602, 604–605; *A. acutiventris* 604; *A. arnoldi* 601–602, 604–605; *A. bakwele* sp. nov. 601–602, 604–605; *A. butteli* 604; *A. myops* 604; *A. paleartica* 604; *A. rubescens* 604; *A. silvestrii* 601–602, 604–605
Actinemys marmorata 91
Actodoris 214
Adalaria 15, 16, 213–214, 239–243, 261–265, 267; *A. albopapillosa* 241; *A. jannae* 213, 239–241, 261–262, 264; *A. loveni* 213, 239, 26–262; *A. proxima* 213, 241–243, 261–262
Adioryx hastatus (see *Sargocentron*) 86
Aegires 208; *A. albopunctata* 208; *A. punctilucens* 208
Aegiridae 210, 214, 267
Africa 28, 76, 83, 85, 115, 182–183, 275, 557, 563, 575–576, 601, 604–605, 625, 627; Gulf of Guinea 275, 282, 285, 291–292; See also by country; See also Lake Tanganyika
Agelenidae 315
Akidorididae 20, 214, 265, 270
Akiodoridae 1
Akiodorididae 1–2
Akiodoris 1–3, 5–11, 15–16, 20, 213–214, 261–267; *A. lutescens* 1–3, 5–6, 11, 15, 20; *A. salacia* sp. nov. 1–2, 7–9, 11, 15, 20; *A. salacia* 213, 261–262, 265
Alaska 20, 53, 55, 61, 64–65; Aleutian Islands (Archipelago) 2, 6, 53, 55, 61, 64–65, 215; Gulf of Alaska 53; See also United States
Alaskagorgia 53
Albania 97, 129–131
Alcyonacea 54
Alcyoniidae 379
Amaranthus 392–393, 394; *A. deflexus* 393–394; *A. gracilis* 392–393; *A. hybridus* 393; *A. powelli* 393; *A. viridis* 392–394
Amaurobiidae 305, 314–315
Amaurobiinae 315
Amaurobius 315–317, 326, 334; *A. fenestralis* 326, 334
Anadoridoidea 2, 16, 214
Anapochrysa 285–286; *A. africana* 285–286
Ancula 1
Ancylodorididae 214
Ancylodoris 255
Andaman Islands 533
Angola 669, 670–671
Anguilliformes 669
Ankylopteryx 285, 287, 291–292; *A. tristicta* 285, 287, 291–292; *Ankylopteryx* sp. 287, 291
Annobon 285, 290–292
Antarctic (Antarctica) 12, 15–16, 20, 379, 382–384, 642–643; Davis Sea 1–2, 12, 15, 21
Anthozoa 53, 379
Antrodiaetidae 305
Apochrysa 285–286, 291; *A. africanus* 286; *A. leptalea* 285–286, 291
Apogon (see also *Zoramia*) 625–627, 631, 635; *A. fragilis* 625, 631, 635; *A. giberti* 625, 631, 635; *A. leptacanthus* 625; *A. perlitus* 625
Apogonidae 625
aquatic ecosystems 107, 122
Arabian Gulf 160
Araneae 305, 337
Archispistrostreptus gigas 558
Arctadalaria 16, 214
Arctic Ocean 233, 245
Arctobiinae 315

- Arctobius* 315
Armadoris 1–3, 11, 13, 15–16, 20; *A. antarctica* 1–2, 11, 13, 15–16, 20
Arntzia 379
 Asia (see individual countries)
Asterionella 119, 155
Atalodoris 255
 Atlantic Ocean 27, 30, 53, 64, 80, 86–87, 199, 213, 215, 240, 242, 247–248, 256, 259, 267, 379, 380–382, 384; Drake Passage 379, 380, 381, 383; North Atlantic 213, 215, 240, 242, 256, 259; Scotia Sea 379, 382–383, 390; South Atlantic 379, 382; Western Atlantic 86; See Atlantic island groups by name (Canary, Elephant, Falkland, South Georgia, South Orkney, South Shetland)
Arthrosphaera 574, 599
Aulostomus strigosus 86
 Australia 23–24, 27–29, 199, 213, 229, 251, 267, 288, 290, 295; New South Wales 24, 29, 207; South Australia 213, 229; Tasmania 236
 Australasian Plate 527, 530, 532–533
- B**
- Bacillariophyta 129
 Baikal Drilling Programme 109
 Baltic Sea 103, 166
 Bangladesh 46, 48
Barchatus 76
 Bataguridae 31, 32, 35, 37
Bathydoris 16–18, 213, 261–267; *B. clavigera* 213, 261–262, 264, 267; *B. spiralis* 16
Batrachoides 76
 Batrachoididae 76
***Bayergorgia* gen. nov.** 380–381, 383, 386–390; ***B. vermidoma* sp. nov.** 380–381, 383, 386–390
 Bayesian analyses 34–35
Beagle (HMS) 108
 Belarus 97
 Belgium 97
 Bering Sea 236, 240, 242, 256, 259
 biodiversity 50, 107, 109, 111, 117, 122, 129–130, 138, 146, 148, 160
 Biofilms 95, 162–163, 165, 167–168
 Bioko 285, 287–292; See also São Tomé and Príncipe
Blakea 675, 676, 678; *B. foliacea* 678; *B. guatemalensis* 678; ***B. venusta* sp. nov.** 675–676, 678
Bodianus 28; *B. oxycephalus* 28
Borniochrysa squamosa 285, 287, 289, 291–292
 Brazil 87, 140, 158, 160, 295–296, 298–299, 301
Brotula 80–84; *B. burbonensis* 82; *B. clarkae* 80, 82; *B. ferruginosus* 83; ***B. flaviviridis* sp. nov.** 80–84; *B. jayakari* 83; *B. marginalis* 83; *B. muelleri* 83; *B. mülleri* (see also *B. muelleri*) 83; *B. multibarbata* 80, 82–83; *B. multibartata* 80–82; *B. multicirrata* 83; *B. ordwayi* 80, 82; *B. townsendi* 80–84
 Burma (see also Myanmar) 42, 50
- C**
- Cadlina* 16, 19, 204, 213, 261–267; *C. laevis* 204; *C. luteomarginata* 213, 261–262, 264–265
 Calycidorididae 214
Calycidoris 16, 213–214, 244–246, 261–265; *C. guentheri* 213, 244–246, 261, 265; *C. güntheri* 262
 Cambodia 34–35, 38–39, 48
 Cambrian 534, 537–538
 Canada 1–2, 7–8, 91, 124, 126, 146, 189, 220, 223, 227, 233, 235–236, 240–242, 244, 259, 317; Bay of Fundy 242, 259; British Columbia 1–2, 7–8, 20, 189, 198, 241–242, 267; Vancouver Island 220, 223, 227, 235–236, 240, 242
 Canary Islands 669
Canthigaster 636
 Carabidae 275, 282
 Caribbean 86, 160
Carlowrightia 88–90; *C. arizonica* 88; *C. linearifolia* 88, 90; *C. texana* 88, 90
 Caroline Islands 66–67, 72, 627, 632, 635
Castanopsis 550; *C. echidoncarpa* 550; *C. hystrix* 550
***Cavernocymbium* gen. nov.** 305–306, 309–311, 314–317, 321, 324, 326, 328–329, 331–332, 336; ***C. prentoglei* sp. nov.** 305, 310–311, 321, 324, 326, 329, 332, 336; ***C. vetteri* sp. nov.** 305, 309–311, 321, 326, 328, 331, 336
Cavernularia 53, 61–64; ***C. vansyoci* sp. nov.** 61–63
 Central America (see Mesoamerica) 337
 Cenozoic 527, 530–535, 555–556, 644
Ceratochrysa antica 285, 287, 291–292
Cetonurus 27
Chatrabus 76; *C. damaranus* 76
Cheilodonichthys 28; *C. ischyurus* 28; *C. kumu* 28; *C. spinosus* 28
Cheilodactylus 28; *C. vittatus* 28
 Chesterfield Islands 80–81, 83
 Chile 28, 221
 China 28, 32, 46, 48–49, 75, 183–184, 521, 527–529, 531, 537, 547–550, 552; Dayang River 533, 538, 543, 547–548, 550; Dulong River 534–536, 543, 547; Gaoligong Shan (see also GLGS) 527–537, 539–553, 555; Hengduan Mountains 527–534, 539, 542, 547–548, 550–551, 554–555; Jingsha River 533; Lancang 539; Lancang River 533, 539, 541, 547–548; Lhasa Terrane 531, 534–536, 538, 543; Longchuan River 537–538, 543, 547–548, 550–551; Longmen Mountains 531–534, 550;

Nanding River 533, 547–548; Nujiang River 527–528, 530, 533–534, 536–537, 539–544, 547–552, 554; Nushan Mountains 534, 539–540, 548; Qinghai-Xizang (see also Tibetan Plateau) 529; Sichuan 531, 539, 542; Tamai Nmai River 539, 548; Tenasserim-Shan Block 534, 536–538; Tibet 531–532, 554–555; Tibetan Autonomous Region 535; Tibetan Plateau 527, 529–531, 539, 547, 549–550; Xizang Zizhiqu (see also Tibet) 535; Yarlung Zangbo (see also Brahmaputra) 533–534, 539, 547–548, 550; Yunnan 528–529, 533, 535, 538–539, 547, 549–550, 554–555

Chlamydomonas 174

Chromodorididae 16, 261

Chrosioderma 337–338, 340–347, 350–377; *C. albidum* 337–341, 362–363; *C. analalava* sp. nov. 337, 341–342, 364; *C. havia* sp. nov. 337, 340, 342, 353, 365–366; *C. mahavelona* sp. nov. 337, 340–341, 343, 367; *C. mipentinapentina* sp. nov. 337, 340, 344, 368; *C. namoroka* sp. nov. 337, 340, 345, 350, 369; *C. ranomafana* sp. nov. 337, 340–341, 345, 346, 352–355, 359, 361, 370–372; *C. roaloha* sp. nov. 337, 341, 345–346, 352, 356, 360, 373; *C. soalala* sp. nov. 337, 340–341, 347, 352, 357–358, 374–376

Chrysopa (see *Glenochrysa*) 285

Chrysoperla 288, 291–292; *C. congrua* 288, 291–292

Chrysopidae 285–286, 288, 291–292

Coelotinae 305, 315–317, 336

Coleoptera 275

Colombia 86, 337

Coniocompsa silvestriana 291

Coniopterygidae 285, 291

Coniopteryx 291

Coral Sea 83

Corambe 16, 18

Corambidae 16, 19–20, 214

Corniger spinosus 86

Coryphaenoides 24, 27; *C. armatus* 27; *C. denticulatus* 24

Costa Rica 302, 337, 675–676, 678, 681

Croatia 97

Cryogorgia gen. nov. 54–59; *C. koolsae* sp. nov. 54–59

Cryptoscenea 291

Ctenogobiops 622

Cuora 32, 37

cyanobacteria 170

Cyclemys 33, 35–37

Cynomacrus 27, 29; *C. piriei* 27

D

Deep Sea Drilling Project 109

Democratic Republic of the Congo 287

Dendrodorididae 189–190, 201–202, 204–207, 209

Dendrodoris 189–195, 197–198, 201–204, 206–208; *D. albobarunnea* 198; *D. angolensis* 206; *D. arborescens* 190, 204, 206, 208; *D. areolata areolata* 206; *D. areolata nigrolineata* 206; *D. azinae* 198; *D. azinae* [sic] 190; *D. behrensi* sp.nov. 189, 191–192, 194–195, 197–198, 201–204, 206; *D. coronata* 195, 198, 206; *D. denisoni* 207; *D. elongata* 198, 206; *D. fumata* 190, 195, 199, 206, 208; *D. gemmacea* 207; *D. grandiflora* 195, 206; *D. krebsii* 190, 204, 206; *D. krebssii* [sic] 208; *D. limbata* 195, 198, 206; *D. lugubris* 190; *D. miniata* 204, 206; *D. nigra* 206; *D. nigromaculata* 201, 204; *D. pharpa* 206, 207; *D. rubra* var. *nigromaculata* 206; *D. senegalensis* 206; *D. stohleri* sp.nov. 189–195, 198; *D. tuberculosa* 195; *D. warta* 204, 206

Dendronotacea 67

Denmark 97

Diaphorodoris 16, 19, 213–214, 246–254, 261–265, 267; *D. lirulatocauda* 213, 249–251, 261–262; *D. luteocincta* 213, 246–248, 261–262, 265; *D. luteocincta* var. *alba* 247; *D. luteocincta* var. *reticulata* 247; *D. mitsuii* 213, 251–252, 261–262, 264; *D. papillata* 213, 253–254, 261–262, 264

Diatoms
(Excludes diatoms in checklist, pp. 400–480)

Achnanthes 396; *A. brevipes* 133, 141; *Achnanthes lanceolate* 396

Actinella penzhica 184

Actinocyclus 133, 135, 141, 403, 495, 639, 640, 642, 646, 648, 654; *A. barronii* 639, 642, 654; *A. challengerii* 640; *A. ingens* var. *nodus* 640; *A. jouseae* 639–640, 646, 648; *A. mutabilis* 642; *A. nigrinia* 639–640, 646, 648; *A. cf. ochotensis* 135; *A. praelipiticus* 642; *A. radionovae* 639, 642–643, 654; *A. subtilis* 133; *A. cf. subtilis* 135

Amphora 126, 133, 141–142, 149, 165; *A. coffeae-formis* 133; *Amphora holsatica* 133, 142; *A. cf. tomiakae* 133, 141

Anabaenopsis circularis 133

Aneumastus 132, 142; *A. albanicus* 132; *A. humboltianus* 132; *A. rosettae* 132

Anomoeoneis 396

Aulacoseira 111, 116, 119, 124, 141; *A. baicalensis* 116, 119

Azpeitia 639, 641–643; *A. biannulata* 642; *A. bukryi* 641, 641, 650, 652; *A. tabularis* 641

- Bacillaria* 126–127, 133, 142; *B. paxillifer* 133
Berkeleya scopolurum 165
Brachysira 396
Campylodiscus 135–136, 142; *C. simulans* 136; *C. thuretii* var. *baldjikiana* 136; *C. cf. simulans* 135–136, 142
Cerataulus 133; *C. turgidus* 133
Ceratium 133; *C. fusus* 133; *C. pulchellum* 133
Cestodiscus 640, 642–643; *C. praerapax* 640, 642; *C. umbonatus* 642
Chaetoceros 132–133, 134, 141; *C. wighamii* 133–134; *C. muelleri* 133, 141
Cocconeis 120, 133, 142; *C. placentula* 120, 133, 142; *C. scutellum* 133
Cyclostephanos 113
Cyclotella 113, 116, 119, 125, 132–134, 140–141, 174; *C. caspia* 133; *C. choctawhatcheeana* 133; *C. aff. choctawhatcheeana* 132–133, 134, 141; *C. cryptica* 174; *C. kuetzingiana* 113
Cymbella 116, 128, 142; *C. stuxbergii* 116, 128
Cymbopleura 132; *C. albanica* 132; *C. lata* var. *lura* 132; *C. lura* 132
Didymosphenia dentata 116
Diploneis 142, 165
Enteromorpha 136; *E. prolifera* 136
Entomoneis 133, 142; *E. paludosa* 133, 142
Epithemia 396; *E. adnata* var. *proboscidea* 396; *E. adriata* var. *proboscidea* 396
Eunotia 116, 119, 126, 142, 179, 183–185, 395, 397; *E. clevei* 116, 119, 126, 179, 183–185; *E. clevei* var. *baicalensis* 184; *E. clevei* var. *sinica* 184; *E. hispida* 184; *E. lacusbaikalii* 183–184; *E. maculata* 184; *E. mondon* 183; *E. praerupta* 183; *E. praerupta* var. *inflata* 183
Fallacia pygmaea 166
Fragilaria 133, 142–144, 396; *F. cortonensis* 396
Frustulia 113, 143
Gomphoneis herculeana 396
Gomphonema 395, 397; *G. herculeanum* var. *robustum* 396
Gonyaulax monacantha 133
Gonyaulax 137
Grammatophora 133, 143; *G. oceanica* 133, 143
Gymnodinium 133
Gyrosigma 143, 156–160, 164, 172–173; *G. acuminatum* 143, 157–158, 161; *G. littorale* 164; *G. obliquum* 158–159; *G. parkeri* 158; *G. spenceri* 157–158; *G. wormleyi* 158
Hannaea 116, 123; *H. arcus* 116
Hantzschia 143, 165, 172; *H. virgata* 165
Kobayasiella micropunctata 113
Mastogloia 133, 143, 165
Melosira 127, 133, 141; *M. nummuloides* 133, 141
Navicula 119, 120, 126, 132–134, 142–144, 148, 165–167, 173, 395–396; *N. cf. besarensis* 134, 143; *N. cryptocephala* 120, 143; *N. hastatula* 132; *N. lacusbaicali* 119; *N. parahasta* 132; *N. phyllepta* 144, 166–167; *N. pseudopugnata* 132; *N. salinarum* 144, 166
Naviculadicta 100
Nitzschia 126, 132–137, 142, 144, 148, 164, 395, 397; *N. capitellata* 132, 144; *N. coarctata* 133, 134–135; *N. constricta* 133, 135; *N. dubia* 164; *N. granulata* 135, 144; *N. reversa* 133–134, 136–137, 144; *N. sigma* 133, 144
Oscillatoria 133
Peridinium 133
Pinnularia 395, 397
Plagiotropis 164; *P. angulatum* 164; *P. vitrea* 164
Pleurosigma 133, 144, 156–158, 160, 164, 173, 177; *P. angulatum* 133, 144, 164, 177; *P. formosum* 133, 144; *P. sterrenburgii* 158, 160
Pliocaenicus 116, 119; *P. costatus* 116, 119
Prorocentrum 129, 133, 137; *P. micans* 129, 133, 137; *P. minimum* 129, 133, 137
Psammodictyon 165
Scripsiella 133
Staurosira 120, 133, 144; *S. construens* 120, 133, 144
Stephanodiscus 113, 116, 119, 151
Striatella 133, 145; *S. unipunctata* 133, 145
Surirella 135–136, 145; *S. biseriata* 145; *S. brebissonii* 145; *S. fastuosa* 145; *S. cf. fluminensis* 135, 136, 145; *S. minuta* 145; *S. ovalis* 145; *S. cf. scalaris* 145; *S. spiralis* 145; *S. splendida* 145; *S. striatula* 145
Synedra 116, 143, 145, 396; *S. tabulata* 145; *S. undulata* 145; *S. vaucheriae* 116
Tabellaria 106, 124–125, 144–145; *T. fenestrata* 145
Thalassionema 132–133, 145; *T. nitzschioides* 132–133, 145
Thalassiosira 480, 504, 639, 641, 643; *T. bukryi* 639, 641–643; *T. oestrupii* 641
Trachyneis aspera 145
Tryblionella 165

End Diatoms

- Dicliptera resupinata* 90
Diplopoda 557, 559, 561
 direct development 199, 201–202, 204–205, 207–209
Discothyrea 657, 659–661, 666; *D. berlita* sp. nov. 657, 659–661
 DNA 31–32, 34, 37, 41, 176
Doridacea 1–2
Doridunculus 1, 3, 11, 15–16, 20, 214
Doriopsilla 189–190, 201–202, 204–209; *D. albop-*

- unctata* 190, 206, 208; *D. areolata* 190, 204–206; *D. areolata areolata* 205; *D. gemela* 190, 201, 205–207, 209; *D. janaina* 190, 204, 206; *D. nigromaculata* 190, 206; *D. spaldingi* 190, 201–202, 204, 206
- Doris* 189, 215, 239, 241, 244, 247, 255–256, 258–259; *D. aspera* 258; *D. beaumonti* 247; *D. bifida* 215; *D. bilamellata* 255; *D. diaphana* 258; *D. effortiania* 255; *D. flemingi* 215; *D. fusca* 215, 255; *D. liturata* 256; *D. loveni* 239; *D. luteocincta* 247; *D. muricata* 258; *D. nigricans* 215; *D. pallidula* 255, 259; *D. pilosa* 215; *D. pilosa stellata* 215; *D. proxima* 241; *D. quadrangulata* 215; *D. rocinella* 215; *D. sibirica* 244; *D. similis* 215; *D. sparsa* 215, 239; *D. stellata* 215; *D. sublaevis* 215; *D. subquadrata* 215
- Draconarius* 305, 315–316, 335; *D. aspinatus* 315, 335
- Drosophila* 553
- Dyschoriste decumbens* 90
- E**
- Easter Island 288
- Echinocorambe 1, 3, 15–16, 20–21
- ecosystems 107, 122, 129, 131–132, 138, 171
- Elytraria imbricata* 90
- Elephant Island 381, 382
- Eocene-Oligocene 532
- Epinephelus marginatus* 86
- Equatorial Africa 289
- Ethiopia 289
- Euglena* 164
- euglenoids 170
- Eurasia 530–531, 549, 551
- Eurasian Plate 527, 530–531, 533–534, 548, 552
- Europe 215, 240, 397–399, 502–503, 557; See also by country
- F**
- Falkland Islands 120–121, 221
- Farrella elongata* 10
- Fiji 80–81, 84, 288, 619, 623, 625, 627, 636, 673
- Finland 183–184
- Flourensia cernua* 88
- Formicidae 601, 657
- France 199, 240, 242, 256, 259
- French Guyana 160
- G**
- Gabon 601–602, 604
- Gadiformes 23
- Galápagos Islands* 53, 80, 190
- Galidia* 572; *G. elegans* 572
- Gambia 289
- Germany 21, 40, 50, 84, 97, 110, 158, 170
- Gilbertiodendron* 602
- Gilibelemnon* 379
- Glenochrysa* 285, 288, 291; *G. conradina* 285, 288, 291
- GLGS (see also China: Gaoligong Shan) 527–554
- Gobiidae 619
- Gondwana 531, 534, 552
- Goniodorididae 1, 16, 19, 20, 214
- Goniodoris* 1, 16, 19–20, 213–214, 261–267; *G. nodosa* 261–262, 265
- Greenland 240, 242, 256, 258–259
- Guinea Bissau 289, 669, 671
- Gymnodorididae 214
- H**
- Halipterus* 64
- Halobatrachus* 76
- Hawaii (Hawaiian Islands) 23–24, 27–28, 76, 80–81, 83–84, 87; Oahu 23–24, 81
- Helicoconis* 291; *H. (Capoconis) bazi* 291
- Hemerobiidae 285–286, 289, 291
- Hemerobius*: *H. nairobicus* 289; *H. reconditus* 291
- Henrya insularis* 90
- Heosemys* 31–35, 37–38; *H. annandalii* 31–32, 35; *H. depressa* 31, 35; *H. grandis* 31, 35; *H. leytensis* 31–35, 37–39; *H. spinosa* 31, 35
- Heteroconis africana* 291
- Hieremys* 32; *H. annandalii* 32
- Himalaya(s)(an) 531, 534, 536–538, 540, 543, 549
- Holocentrus adscensionis* 86
- Hungary 97, 182
- Hymenocephalus* 27, 29; *H. aterrimus* 27
- Hymenoptera 601, 657
- I**
- Iceland 240, 242, 256, 259
- India 46, 48, 50–51, 76–77, 531, 534, 548–549; Brahmaputra River 533, 539, 547–548, 550
- Indian Ocean 64, 76, 160, 625, 672; See island groups by name
- Indian Plate 527, 530–531, 533–534, 548
- Indochina 530–534, 550
- Indo-Malaya(n) (biogeographic realm) 527, 529, 550–552
- Indonesia 40, 46, 48, 50, 533, 625, 627, 631–632, 635; Sumatra 533
- Indo-Pacific 28, 66, 74, 80, 82, 86, 625, 672
- Ireland 97

J

- Jacobinia* 607–608, 615; *J. leucothamna* 607–608, 615
Japan 28, 53, 83, 182–183, 236, 251, 289; Ryukyu Islands 28, 623, 631, 635; Amami O Shima Islands 631
Johnston Island 80–81, 83
Justicia 90, 607–615; *J. cabrerae* 615; *J. californica* 90; *J. candicans* 90; *J. chol* 614; *J. cobensis* 608; *J. costaricana* 614; *J. dendropila* 608; *J. edgar-cabrerae* sp. nov. 607–608, 610–611, 613–614; *J. leucothamna* sp. nov. 607–608, 610–612, 615; *J. longii* 90; *J. lundellii* 608, 611; *J. luzmariae* sp. nov. 607–612; *J. nevlingii* 614; *J. salviflora* 615; *J. sonorae* 90; *J. uxpanapensis* 614

K

- Korea* 28
Kuronezumia 27; *K. bubonis* 27

L

- Lake Tanganyika* 115, 127, 182–183
Lamellidoridella mitsuii 251
Lamellidorididae 214
Lamellidoris 215, 246, 256, 259, 261; *L. aspera* 259; *L. bilamellata* 256; *L. bilamellata praecedentis* 256; *L. bilamellata* var. *liturata* 256; *L. bilamellata* var. *pacifica* 256; *L. hystricina* 259; *L. varians* 259
“*Lamellidoris* n. sp. vel. var. *praecedentis*” 256
Larrea tridentata 88
lecithotrophic (development) 201, 204–205, 207–208
Lepidohynchus [sic] 29
Lepidorhynchus 23–25, 27–29; *L. denticulatus* 23–25, 27–29
Lophodoris 1
Lord Howe Island 28
Loyalty Islands 80, 83

M

- MacClade* 16, 34
Macedonia 97, 130
Macrobruninae 315
Macrobrunus 315
Macrouridae 23, 29
Macrourus 24
Madagascar 283, 288, 292, 337–338, 340–348, 557, 558, 561, 564, 567, 570, 572, 574, 625, 627–628, 635, 657–658, 661, 663, 665–666, 673
Malacocephalus 27; *M. laevis* 27

Malaysia 38, 46, 48–49

Maldives Islands 635

Mantispidae 285, 290–291

Marionia 66–68, 72–74; *M. albotuberculata* 74; *M. babai* 74; *M. bathycarinensis* sp. nov. 66–68, 72–74; *M. berghi* 67; *M. blainvillea* 74; *M. chloanthes* 74; *M. cucullata* 74; *M. cyanobranchiata* 74; *M. dakini* 74; *M. echinomuriceae* 74; *M. fulvicola* 74; *M. granularis* 74; *M. levis* 74; *M. olivacea* 74; *M. pambanensis* 74; *M. pellucida* 74; *M. platyctena* 74; *M. putulasa* 74; *M. rubra* 74; *M. tessellata* 74; *M. viridescens* 74

Marioniopsis 66–67, 72

Marshall Islands 80, 83, 625, 627, 631–632, 635

Mauritius 657–659, 661, 666

Mecicobothriidae 305

Mediterranean 53, 132, 160, 247, 254, 317, 384

Melastomataceae 675, 678

Mesoamerica 675; See also Costa Rica, Panama

Mexico 88–90, 189–191, 193, 195, 197, 202, 231, 235, 317, 400, 516, 607–608, 610–611, 614–615, 617–678; Baja California 189–191, 195, 197, 201–202, 225, 231, 233, 235, 607; Campeche 607, 610–611, 615; Chiapas 607, 614; Chihuahua 88–90; Coahuila 88–89; Durango 89; Gulf of California 189–190, 193, 201, 269; Nuevo León 88–89; Quintana Roo 607–608, 610–611, 614; San Luis Potosí 88; Sonora 88–90, 231, 607, 616; Yucatan Peninsula (also Yucatán) 607–608, 610–611, 614–615; Zacatecas 89

Micromus 285, 290–292; *M. africanus* 291; *M. timidus* 285, 290–292

Miconia 675, 678, 680–682; *M. argentea* 681; *M. calocoma* 682; *M. centrodesma* 682; *M. centrosperma* 681–682; *M. dissitiflora* 682; *M. dissit nervia* sp. nov. 675, 678, 680–682; *M. dorsiloba* 683; *M. friedmanorum* 682; *M. lamprophylla* 683; *M. mexicana* 682; *M. pendula* 682; *M. valeriana* 682, 683

Microsymplocos 296

Miocene 532–533, 639–643

MrBayes 35

Molucca Islands 625, 632

Mongolia 183

Mozambique 287, 289, 625, 627, 635

Muraena ophis 670

Muriceidae 53

Muriceides 64

Musola impar 285

Myanmar (see also Burma) 42–46, 48–49, 391–392, 529, 531, 533–534, 536–539, 542, 547–550, 552, 555; Chin Hills 48; Indo-Burman Mountain Range

- 48; Kachin State 42–43, 48, 537, 539, 549; Rakhine State 42, 48
- Myripristis jacobus* 86
- Myrmelaeon* sp. 290–291
- Myrmelontidae 286, 290–291
- Mytilus galloprovincialis* 131, 136
- N**
- Neosymplocos* 295–296, 299, 302
- Nepal 534
- Netherlands 64, 87, 122–123, 125, 139, 156, 158–160
- Neuroptera 285–286, 291–292
- New Caledonia 27–28, 80–81, 83, 111, 121
- New Zealand 23, 27–28, 158, 160, 177, 181, 185, 231, 236, 305
- Nezumia* 27; *N. propinqua* 27
- Norfolk Island 28
- North America 32, 91, 119, 121, 189–190, 198–199, 213, 215, 220, 223, 227, 233, 243, 249, 295, 317, 393
- Norway 240, 242, 256, 259
- Notiobiella* 285, 290–291
- Nudibranchia 2, 21, 66, 190, 201, 213, 265
- Nuxia verticillata* 661, 666
- O**
- Ocean Drilling Programme 109
- Octocorallia 53
- Odontomacrurus* 27, 29; *O. murrayi* 27, 29
- Oicodespina* 255
- Okenia* 213–214, 261–267; *O. mediterranea* 261–262, 265
- Okiodespina* 255
- Oligocene 532, 642
- oligotrophic habitats 398
- Omochelys* 673
- Onchidiorus* 255
- Oncidiora* 255
- Onchidoridae 16, 265
- Onchidorididae 1, 16, 19–21, 213–214, 216, 239–241, 243, 246, 249, 253, 258, 260–262, 265, 267
- Onchidoridoidea 19
- Onchidoris* 16, 213–215, 239, 255–261, 263, 264–265, 267; *O. bilamellata* 213, 255–258, 261; *O. bouvieri* 261; *O. leachii* 256; *O. liturata* 256; *O. muricata* 213, 239, 258–260, 264
- Onchidorus* 255
- Oncidiadoris* 255
- Oncodoris* 255
- Ophichthidae 669, 673
- Ophichthus* 669–673; *O. aphotistos* 669, 671–673; *O. brachynotopterus* 673; *O. cruentifer* 669, 671–673; *O. exourus* 673; *O. pullus* sp. nov. 669–673; *O. serpentinus* 673
- Opistobranchia 189–190, 198, 204, 207
- Optonurus* 24; *O. denticulatus* 24; See also *Lepidophryne denticulatus*
- Ordovician 537–538
- Osmylidae 291
- P**
- Pacific Ocean 20, 53, 55, 61, 80, 82, 86, 109, 160, 189, 190, 195, 197–199, 201–202, 204–206, 208, 215, 240, 242, 256, 259, 267, 288, 290, 380, 394, 625, 639, 673; Eastern Pacific 53, 80, 82; Equatorial Pacific Ocean 639; North Pacific 215, 240, 242, 256, 259; northeastern Pacific Ocean 53, 55, 61; tropical western Pacific 53; Western Pacific 27, 53, 64; See also Pacific Islands by island-group names
- Palau Islands 623, 625, 627–628, 631–632, 635
- Palearctic (zoogeographic realm) 527–529
- Paleozoic 533–535, 537, 543
- Panamá 50, 53, 190, 206, 675, 681
- Pangea 531, 533
- Panyaenemys* subgen. nov. 31, 38
- Papua New Guinea 251–252, 288, 625, 627, 631–632, 635
- Parablennius* 87; *P. pilicornis* 87
- Paracis* 66, 67, 72
- Paramuriceidae 53, 64
- Paramuriceinae 53
- Paratritonia* 66, 67, 73–74; *P. lutea* 73–74
- Parazanomys* gen.nov. 305–307, 314–317, 320, 322–323, 326–327, 330, 335–336; *P. thyasionnes* sp. nov. 305–307, 320, 322–323, 326–327, 330; *P. thyassionnes* [sic] 335–336
- PAUP 16, 34
- Permian 534, 536–537
- Peru 80
- Perulibatrachus* 76–78; *P. aquilonarius* sp. nov. 76–78; *P. elminensis* 76–78; *P. kilburni* 76–78; *P. rossignoli* 76–78
- Phanerobranchia 214, 261
- phanerobranch dorids 1, 11, 16–19, 21
- Philippine-Pacific Plates 530
- Philippine Islands 28, 31–32, 34, 37–41, 48–49, 84, 623, 625, 627, 635; Palawan 31, 37–39
- Phyllidiidae 189
- phytoplankton 129–130, 132–133, 136–137, 151, 153–154, 163
- Pinus* 131; *P. pinea* 131; *P. halepensis* 131

- Pisodonophis cinctus* 673
- Placobdella* 91; *P. ornata* 91; *P. papillifera* 91; *P. par-*
asitica 91
- planktotrophic development 201, 204–205
- planktotrophic larvae 204
- Platynini 275–276
- Platynus* 276, 283; *P. opacipennis* 276, 283
- Plexauridae 53–54, 67, 379–380, 383
- Plexaurinae 53
- Pliocene 533, 538
- poecilogony 201, 205
- Poland 93, 96–97, 122, 129, 140
- Polyceridae 214
- Polypedates* 42–43, 45–46, 48–49; *P. chenfui* 46, 48;
P. colleti 46, 48; *P. cruciger* 46, 48; *P. dennysi* 46;
P. dorsoviridis 46; *P. duboisi* 46; *P. dugritei* 46,
48; *P. eques* 46, 48; *P. hunguensis* 46; *P. insularis*
46; *P. leucomystax* 46, 48; *P. macrotis* 46, 48; *P.*
maculatus 46, 48; *P. megacephalus* 46, 49; *P.*
mutus 46; *P. naso* 46; *P. nigropunctatus* 46; *P.*
omeimontis 46; *P. otilophus* 46, 49; *P. pingbianen-*
sis 46; *P. prasinatus* 46; *P. pseudocruciger* 46; *P.*
puerensis 46; *P. yaoshanensis* 46; *P. zed* 46; *P.*
zhaojuensis 46
- Porostomata 189, 190
- Porphyridium cruentum* 174
- Precambrian 534, 536–538, 540
- Primnoidae 379
- Pristiapogon* 625
- Pristomyremx* 661, 666; *P. bispinosus* 661
- Proceratum* 657–658, 661–666; *P. avioide* 657,
661–663; *P. avium* 657–658, 661–663; *P. diplopyx*
663; *P. google* sp. nov. 657, 663–665
- Proctaporia* 255; *P. fusca* 255
- Prodoridunculus* 1–3, 15–16, 20, 214; *P. gaussianus* 2
- Prosopis velutina* 88
- Prototilum* 64
- Prunus fasciculata* 311
- Psestra jeanneli* 291
- Pseudodoridae 214
- Pseudoclimaciella thomensis* 290–291
- Pseudomallad* [sic] *sjostedti* 292
- Pseudomallada* 285, 287, 289, 291–292; *P. boninen-*
sis 285, 287, 289, 291–292; *P. luaboensis* 289,
291; *P. sjostedti* 289, 291
- Pseudonitzschia* 129, 132, 134, 136–137, 144; *P. seri-*
ata 129, 132, 134, 136–137, 144
- Psidium cattleianum* 658
- Pterapogon* 625
- Ptilosarcus* 64
- Q**
- Quercus chryssolepis* 310, 311
- R**
- Rapa Island 288
- Raphia* 602
- Rhacophorus* 42–49, 52; *R. achantharrhena* 46; *R.*
angulirostris 46, 49; *R. annamensis* 46, 49; *R.*
appendiculatus 42, 46, 49; *R. baliogaster* 46; *R.*
baluensis 46; *R. barisani* 46; *R. bimaculatus* 46,
49; *R. bipunctatus* 42, 46–49, 52; *R. bisacculus* 42,
46; *R. calcadensis* 47; *R. calcaneus* 46, 49; *R.*
catamitus 46; *R. cyanopunctatus* 46; *R. dennysi*
42, 46, 48–49; *R. dulitensis* 47, 49; *R. exechopy-*
gus 46; *R. feae* 42, 46, 49; *R. gauni* 49; *R. hoan-*
gliensis 47; *R. htunwini* sp. nov. 43–48, 52; *R. lat-*
eralis 47; *R. malabaricus* 47; *R. margaritifer* 46;
R. maximus 42, 47, 49; *R. microtympanum* 49; *R.*
modestus 46; *R. namdaphaensis* 46; *R.*
nigropalmatus 47, 49; *R. notator* 46; *R. orlovi* 46;
R. pardalis 46, 49; *R. poecilonotus* 46; *R. promi-*
nanus 47; *R. pseudomalabaricus* 47; *R. rein-*
wardtii 42, 47, 49; *R. robinsonii* 46; *R. rufipes* 49;
R. taronensis 42, 46, 49; *R. translineatus* 46; *R.*
tuberculatus 46; *R. turpes* 42, 47, 49; *R. variabilis*
46; *R. verrucopus* 46; *R. verrucosus* 42, 46, 49
- Rhus*: *R. microphylla* 88, 90; *R. trilobata* 311
- RNA 175, 176
- Rosgorgia* 379
- Ruellia* 88–90; *R. nudiflora* 90; *R. parryi* 88–90
- Russia 1–4, 6, 97, 124, 183–184; Baikal 107, 109,
111, 115–120, 182, 187; Commander Islands 1–2,
4, 6; Kamchatka Peninsula 4, 6, 184, 186; Kuril
Islands 2–4, 6; Lake Baikal 107, 109–111,
114–120, 122, 179, 181–185; Okhotsk Sea 1–2, 4,
6; Siberia 110, 116, 119, 181
- S**
- Sacalia* 35
- Samoa 288, 625, 627, 631, 635
- Sargocentron hastatum* 86–87
- São Tomé and Príncipe 275, 277; Príncipe 285–292;
São Tomé 275–277, 281–283, 285–292; See also
Bioko
- Sarotheca* 615
- Scincella victoriana* 391
- Semidalis* sp. 291
- Senegal 288–289
- Seychelles 625, 627, 635
- Siebenrockiella* 31–34, 37–39; *S. crassicornis* 31–35,

- 37–39; *S. leyensis* 37–38; See also *Heosemys leyensis* *Tetramerium nervosum* 90
 Silurian 537–538 Thailand 48, 550
 Solomon Islands 627, 632, 635 *Tharbacus* 76
 South Africa 28, 76, 83, 213, 237, 251; Natal 289 Tibet (see China)
 South America 213, 286–287, 289, 393–394; See also Tonga 80, 83
 Brazil, Chile, Colombia, Peru *Trachemys scripta elegans* 91
 Southeast Asia 530, 547, 550, 601; See also India, *Trachonurus* 27
 Indonesia, Malaysia, Myanmar (Burma), Nepal, *Trachonurus sentipellis* 27
 Philippines, Thailand *Tritoniidae* 67
- U**
- South Georgia Island 382 Ukraine 97
 South Orkney Islands 382 United Kingdom 97, 169, 215; Scotland 256, 258;
 South Shetland Islands 15 Wales 215–216, 218
 Spain 97, 140, 215, 254, 379 United States 54–55, 61, 88–89, 91, 146, 215, 309,
 Sparassidae 337 395, 397–398; Alaska (see also Alaska [main
Sphaeralcyon 379 heading] 198–199, 215, 227, 233, 236, 240–242,
Sphaeromimus 557–561, 563–565, 567–574, 244–246, 249, 251, 256, 258–259; Arizona 88–91;
 sp. nov. 557, 561, 563, 565, 567–568, 570, California 91, 189–190, 195, 197–198, 202, 215,
 572–573, 593–597; *S. musicus* 557–558, 561–562, 220, 223, 225, 227, 233, 240, 242, 249, 251, 256,
 564–565, 567–568, 570, 573, 578–579, 581–585; 259, 305, 307, 309–311, 313, 392; Colorado 317;
 S. splendidus *sp. nov.* 561, 563, 565, 567–570, Connecticut 242, 256, 259; Florida 199, 206–207;
 573, 586–592 Great Lakes 78, 91, 119, 146–149, 151; Maine
Sphaeropoeus 561, 564; *S. musicus* 561, 564 215, 242–243, 259–260; Massachusetts 210, 240,
Sphaerotheliida 557–560, 563, 568, 573–574, 599 256, 258–259, 270; New Hampshire 242; New
Sphaerotheliidae 557, 573, 576 Mexico 88–90; Oregon 91, 199, 223, 227, 256;
Sphaerothelium 564, 566 Texas 88–89; Washington 215, 220, 259, 268, 379
Stachytillidae 379, 385 *Urbaniocharis* 296
- V**
- Steindachneria* 29–30; *S. argentea* 29 *Vanderhorstia* 619, 621–622; *V. bella* 619, 621–622;
Steindachneridae 29 *V. mertensi* 619, 622
Stenandrium barbatum 90 Vanuatu 80, 83
Stenogorgiinae 53 *Ventrifossa* 29; *V. atherodon* 29
Straneoa 275–282; *S. collatata* 275–282; *S. selig- Veretillidae* 53, 61
 mani *sp. nov.* 275, 277–282 Vietnam 41, 46, 48–49
Subergorgiidae 379, 384 *Villiersia* 255, 261, 269; *V. scutigera* 261
Sunda Shelf 37 *Villiersiidae* 214
- Sweden 97, 183 *W*
- Swiftia* 64 Wadden Sea 157, 170–171, 174–176
Symplocos 295–302; *S. angulata* 296, 298–299; *S. wetlands* 95, 107, 129–133, 137, 141, 160
- candelabra* *sp. nov.* 295–299; *S. glaberrima* 296; *Y*
- S. microstyla* *sp. nov.* 295, 299–302; *S. organen- Yap Island 627, 635*
- sis 301–302 *Z*
- T**
- Taiwan 49, 83, 669, 671 *Zanomys* 305–306, 314–317, 325–326, 333; *Z. californicus* 325–326, 333
- Talinum angustissimum* 88
- Tamgrinia* 316
- Tanganyika Lake (see Lake Tanganyika)
- Teleostei 23, 76, 80, 619
- Tertiary 125, 182–184, 531–532, 534, 538, 555
- Tethys 548
- Tetracyclus* 116, 119, 183

Zargus 276; *Z. collatus* 276

Zenopsis 28; *Z. nebulosus* 28

Zimbabwe 287

Zoosphaerium 558, 561, 563, 567, 569, 570,
572–574, 599; *Z. hippocastanum* 563

Zoramia (see also *Apogon*) 625–636; *Z. flebila* sp.
nov. 625–631, 635; *Z. fragilis* 625–628, 631, 635;
Z. gilberti 625–628, 631, 635; *Z. leptacantha*
627–628, 631, 635; *Z. perlita* 627–628, 631, 635;
Z. viridiventer 625–628, 631, 633–636

Index to Volume 56, Supplement I

Biodiversity: Past Present, and Future, and The Future of Taxonomy

edited by Nina G. Jablonski and Michael T. Ghiselin

A

agriculture 106, 150–151
 ALL Species Foundation 10, 114–115, 117
 AntWeb 92, 93
 asexual species 166

B

bacterial communities 67–68
 bacterial genome 63, 66
 bacterial species 62–70; number of 66–67
 binomial 159–160, 176, 182, 184–185, 187, 192–193;
 maintenance of 184, 185
 biodiversity 119, 124–125, 130–132, 135–147, 149,
 15–155; biodiversity crisis 115; biodiversity loss
 87, 94, 112, 125, 135; biodiversity metrics 50; bio-
 diversity partitioning 32, 35; preserving biodiver-
 sity 130–131, 153
 biogeographic provinces 35
 biogeographic units 98, 102–103, 108
 biogeography 22–23, 68, 98, 104, 106, 111–113
 biological hotspots 87
 biological species definition 62–63, 65; See also
 species: biological species; See also species con-
 cepts
 biomes 32, 36–41, 44, 101; Seasonally Dry Biome
 37–39; tropical moist forests 151; Wetland Biome
 37–40, 42; xeric biome 39
 Brazil 154

C

Cambodia 98, 101, 110, 112
 Cambrian 16, 24–31; Cambrian radiation 24, 26–29
 Carboniferous 32–39, 42, 44–49; plant biogeographic
 provinces 35
 categories 161, 163, 166, 183, 185, 197, 202, 206,
 208–212; see also species, taxonomic categories
 China 15, 25–26, 38, 98, 101–103, 107–108,
 110–112, 138, 150, 152, 154
 cladistic (Hennigian) species concept 202
 classification(s) (see also Linnaean system, Linnaean
 taxonomy, rank-free classification) 159–168, 170,
 174, 179–180, 185–188, 224; biological classifica-
 tion 162, 164, 223
 classification systems 160, 167; scientific classifica-

tion 162
 climatic fluctuations 54, 56
 Code(s) (of nomenclature) 160, 173–175, 178, 182,
 184, 186, 193, 216, 222, 225–231; International
 Code of Botanical Nomenclature (ICBN) 216,
 226; International Code of Nomenclature of
 Bacteria 226, 228; International Code of
 Zoological Nomenclature (ICZN) 160, 196, 216,
 226–227; Strickland Code 184, 216, 224
 codon bias 64
 common ancestor 159, 167
 community structure 50, 56–57, 70
 competition 12, 16–21, 41, 43
 concept of genus and species 183; see also under
 species
 conservation planning 87–88, 94, 97
 consumption 131, 150–151, 153–154
 cultural microevolution 142

D

Darwin, Charles 159, 162–164, 168, 200, 202,
 210–211, 216, 224
 data management 87, 89, 91
 database(s) 93, 116, 130, 132, 136–141, 176, 192,
 210, 227–230; biodiversity database 130, 132,
 136–137, 140; specimen databases 93; taxonomic
 databases 93, 192
 diagnosability 196–199, 207, 209
 digital imaging technology 92–93
 diversity 5, 6, 12–21, 25–27, 32, 34, 37, 40, 42, 50,
 67–68, 72–73, 75–77, 79, 81, 83, 86–89, 95,
 98–99, 101, 104, 106–109, 112; biological 13,
 98–99; dominance-diversity patterns 32, 40; pat-
 terns of 13–14, 109; theory of 12–13, 15, 16, 17,
 19, 21, 23
 DNA 62–63, 65–69, 71; DNA bar-coding 179; DNA
 sequencing 174, 179; transfer of DNA 63

E

ecomorphic replacement 42
 ecosystems 14–15, 17, 32–34, 36, 42–43, 50, 88, 106,
 111; ecosystem architecture 42; ecosystem servic-
 es 135, 138–139, 150; Late Paleozoic Ecosystems
 42
 Endangered Species Act 153

- endemism 87, 99–101, 104, 107–109, 111; rates of endemism 107–108
 environmental degradation 106
 Equatorial Province 35–37
 E-Type and E-Description Initiative 117
 evolutionarily significant units (ESUs) 207, 214
 exotic species 87, 119, 121–124, 126, 128
 extinction(s) 13, 20, 21, 27, 42, 55, 87, 115, 119–126, 131–132, 135, 137–138, 149–153, 155, 167, 198; extinction crisis 131, 137, 147; extinction rates 119, 120, 121, 138; extinction-promoting traits 125; mass extinctions 119, 127; rate of species extinctions 135, 151, 153

F

- fossil taxa 185, 192
 fragmentary nature of fossils 190

G

- gene trees 65, 204, 215
 geographic barriers 120
 geographic differentiation 133
 Germany 154
 Global Biodiversity Information Facility 179
 global cooling 101
 global sustainability 130, 153–154
 global warming 152–153
 groups: monophyletic 187, 192, 196, 198, 200, 202–207, 211; paraphyletic 162, 172, 179, 187, 203–204; polyphyletic 187, 204

H

- habitat deterioration 87
 habitat uniformity 120, 121
 haplotypes, mtDNA 207
 hierarchy of ranks 183; see also Linnean system
 hierarchy of taxonomic categories 208–211; see also taxonomic rank
 homogenization 119–126, 129
 housekeeping genes 63–65
 Hox complex 28, 30
 humans influenced species richness 56
 hunting 106, 123, 151

I

- identification keys 92, 114, 117
 India 150, 152, 154
 India-Eurasia collision 101
 individuality 159, 162, 164–165, 167, 216, 218, 231; see also species concepts

- Indochina 99, 102–104, 106–107, 109–110, 112
 Indo-Malaya 101
 Indo-Malayan realm 101–102, 107–108, 111
 infectious diseases 68
 information science 159, 170–171, 173, 175, 177, 179, 181
 invasive alien species 152
 island biogeography 151
 isolation 13, 17–20, 71

J

- Jaccard's similarity index 122

L

- landscape partitioning 33
 Laos 98–99, 101, 104, 107, 11–113
 lateral gene transfer 62–65, 70
 latitude 14–16, 26, 37, 51, 72, 101, 107; floristic zonation 37; latitudinal gradient 13; Northern High Latitudes 35, 37; Southern High Latitudes 35, 37
 legal documents 225, 227, 229
 lineages 159, 164, 190, 196, 199–209, 211, 220; concept of a lineage 200; General Lineage Concept 201–202, 205, 213; lineage divergence 203–204; population-level lineages 201, 202, 203
 Linnaean nomenclature system 136; Linnaean hierarchy 136; Linnaean ranks 217; Linnaean system 136–137, 174, 180, 183, 184, 187; Linnaean taxonomy 174, 179, 182, 184
 Linnaeus, Carl 159, 162, 182, 183, 184, 185, 187, 188, 189, 191, 193, 210, 216, 217, 222, 229
 logging 106
 loss of global biodiversity 119

M

- Madagascar 10, 86–95, 97; fragmented habitats 88; predicted species distribution 94–95; species richness map 95
 Malaysia 101, 104, 112
 mammal communities 50, 53, 55–58
 Mediterranean region 150
 megafauna 56
 metazoan radiation 24–25, 27, 29, 31
 Mexico 141, 150, 154
 Miocene 101
 mobility 21
 models of speciation 200, 201, 214
 Modern or Evolutionary Synthesis 211
 molecular evolution 140
 molecular systematics 140, 147

- monophyly 196–199, 203, 205, 207, 209; see also groups
 multi-taxon surveys 10, 98, 106
- N**
- natural capital 130, 135
 natural kinds 161–162, 164–165, 218, 221, 223; see also species concepts
 Neoproterozoic 24–27, 31; Neoproterozoic-Cambrian 24–25
 New Pangea 119–121, 123, 125, 129
 nomen nudum 184
 nomenclatural stability 217, 220
 nomenclature 159–161, 165, 171, 174, 179, 182, 184, 186–187, 193, 216–222, 225–231; biological nomenclature 216–217, 221–222; phylogenetic nomenclature 216–219, 221–222, 224; taxon names 168, 216, 218–219, 221, 224
 nucleotide sequences 140
- P**
- Palearctic 98, 101
 Paleozoic (Era) 32, 33, 35, 37, 39, 41–43, 49, 120, 127
 Pangea 119–121, 123, 125–126, 129
 paraphyletic taxa 136
 pathogens 139
 patterns of biodiversity distribution 98
 Pax-6 28
 Permian 27, 32, 34–37, 39, 42, 49
 Permo-Carboniferous 32, 35
 phenetic relationships 136, 140
 philosophy of systematics 159, 161, 167
 PhyloCode 159, 164, 179, 187, 217–218, 221–222, 228
 phylogenetic definition of species 65; phylogenetic inference 217–218; phylogenetic reality 219; phylogenetic relationships 175, 196, 212, 219; phylogenetic system of reference 221
 phylogeny 171, 177, 185–186, 216–218, 221, 223
 phyleogeographic pattern 207
 plant-herbivore coevolution 140
 Pleistocene 50–51, 53–56, 60, 113; glacial-interglacial cycles 56
 plesiomorphic taxa 185
 pollination 139
 population differentiation 130, 132, 134–135, 141–143
 population growth 131, 150–151
 Porcupine Cave 50–57, 59
 primary productivity 14–15
- Principle of Priority 225, 227, 229
 protostome-deuterostome ancestor 27, 29
 Provincialization 41, 44
 public health 139, 141
- R**
- rank-free system (see also PhyloCode) 179, 217, 221
 ranks 159–161, 163–164, 168, 179, 182–187, 193, 196, 206, 208–212, 217, 220–221, 223, 229; intermediate ranks 186; rank-free classifications 187
 rates of origination and extinctions 192
 refugia 104, 111
 registration of names 230
 registration system 225, 230
 reproductive isolation 196–199, 208
- S**
- seasonal climate fluctuations 101
 Silurian 32
 Sixth Mass Extinction 120; see also extinction(s)
 small herbivore richness 54
 Snowball Earth hypothesis 26, 31
 Southern High Latitude Province 37
 spatial diversity 119
 specialization 12, 16, 19, 72
 speciation 18, 20, 21, 104, 111
 species: biological species 165, 184, 190, 197, 198, 199, 202, 203, 206, 208, 215; chronospecies 190, 193; cryptic species 166, 168, 213; ecological species concept 197, 203; evolutionary species 190, 193, 209, 215; paleontological species 190; phylogenetic species 190, 193, 197, 198, 200, 202, 203, 206, 207, 214; reproductive barriers 199, 205, 209, 210; sister species 208, 209; species boundaries 190, 192, 197; species fusion 207, 208; species longevity 190; species problem 197, 199, 203, 204, 205, 206, 210, 211, 212, 223; species recognition 190; stratigraphic species 190; species assemblages 40, 43, 90; species category 159, 166, 167, 196, 197, 204, 205, 206, 208, 209, 210, 211, 213; species descriptions 170, 226, 231; species discovery 116; species diversity 12, 15, 21, 34, 68, 73, 83, 95, 98, 104, 109; species problem 133, 147; species richness 12, 21, 50, 51, 53, 54, 55, 56, 57, 61, 76, 82, 87, 88, 89, 94, 95, 98, 99, 101, 104, 119, 122, 146; species turnover 119; species-area curve 123; see also asexual species, individuality, natural kinds, species concepts, subspecies
 species concepts 159, 161, 162, 163, 165–168, 173, 176, 188, 190, 196–212, 214–215; definition and “nature” of species 132; What is a species? 130,

- 133, 134, 142; see also species (biological, chronospecies, cryptic, ecological, evolutionary, paleontological, phylogenetic, stratigraphic species concepts)
subspecies 123, 135, 137, 148
Sunda Continental Shelf 101
Sunda Islands 101
Sweden 154
Switzerland 154
systematics 130–133, 135–142, 147, 159, 161, 167–168, 170–171, 174, 176, 179, 196, 198, 211, 224; graduate training in systematics 142; See also molecular systematics

T

- taphonomic processes 52
taxonomic categories 166, 208–211
taxonomic classifications 140
taxonomic groups 159, 164, 184, 198, 199, 210
taxonomic information 160, 175, 192, 226; accessible 175, 225, 229; dissemination of 160; goal of 161
taxonomic knowledge 225
taxonomic papers 225, 226, 227, 228, 229, 230
taxonomic products 92, 93, 94, 118
taxonomic rank 196, 208–209, 211–212, 217
taxonomy 4–6, 52, 69, 75, 86–89, 91–93, 95, 114, 116–118, 130, 139–140, 157, 159–165, 167, 168, 170–180, 182, 184, 187–188, 192–193, 196–197, 210–212, 216, 225–231; distributed taxonomy 170, 175; future of taxonomy 159–160, 168, 180,

- 188, 196–197, 211–212, 222; practice of taxonomy 92, 114, 116, 118; support for taxonomy 171; taxonomy web sites 170, 177; unitary taxonomy 170, 175–180
temperature 12, 14–18, 21, 39, 41, 43, 66, 101
terminal taxa 217, 220
terra firma 34, 36, 40, 42, 74, 76, 82–83
terrestrial arthropods 72, 83, 87
Tertiary 101
Tibetan Plateau 101, 112
Tree of Life 136–139, 177
turnover 42–43, 56, 72–74, 76, 82–83, 87–88, 90
type specimens (types) 10, 12, 15–17, 34, 37, 40, 64, 67, 73, 92–93, 108, 114, 116–117, 173, 176, 184, 192–193

U

- U.S. Endangered Species Act 207
unified concept of species 196–197, 205, 209, 211
secondary properties 196, 203, 205
United States 121–123, 125–126, 152–154
urbanization 121, 128

V

- Vietnam 10, 98–113

W

- web sites 170, 177, 192; web-based taxonomy 192–193; validating web-based taxonomy 193

Index to Volume 56, Supplement II

**Atlas of Phylogenetic Data for Entelegyne Spiders (Araneae: Araneomorphae: Entelegynae) with Comments on their Phylogeny
by C.E. Griswold, M.J. Ramírez, J.A. Coddington, and N.I. Platnick**

A

- Acanthoctenus* 5, 17–18, 49, 53, 58, 60, 75, 86–87, 95–96, 198, 216–218, 240, 246, 249, 254, 257, 309; *A. cf. spinipes* 86, 216–217, 240, 246, 249; *A. spiniger* 86, 257
- Aebutina* 2, 5, 21, 23–24, 49, 56, 59, 62–63, 65, 75, 87, 95–96, 157–159, 231, 243, 251, 258, 270; *A. binotata* 23, 87, 157–159, 243, 251, 258, 270
- Africa 7–8, 14, 18–19, 24–26, 33–35, 42, 44, 87–88, 90–92, 130–131, 134, 138, 144–145, 147, 180–182, 220, 231–232, 236, 239, 241–242, 244–245, 248–249, 253, 255, 259–260, 271, 278, 288, 291, 300–303; Cameroon 7, 44–45, 92, 308; Côte d’Ivoire 45, 92, 198, 248, 254, 262, 287, 295; Equatorial Guinea 92 (Bioko Island 92); Kenya 18, 87–88; Malawi 26, 88, 135–137, 230, 232, 260; Morocco 26, 88, 132, 134; Namibia 33, 87, 90, 300, 306; South Africa 7–8, 18–19, 26, 33–34, 87–88, 90–92, 130–131, 134, 138, 144–145, 147, 180–182, 220, 231–232, 236, 239, 241–242, 244–245, 248–249, 253, 255, 259, 260, 271, 278, 288, 291, 300–303; Tanzania 7–8, 44, 88, 90, 93, 147, 150–151, 222, 225–226, 233, 244, 261, 274, 289, 303
- Agathis australis* 31, 305
- Agelenidae 1–2, 5, 8, 35, 74, 85, 290, 305
- agelenids 9, 47–48, 54–55
- agelenoids 3, 74
- Akamasia* 46
- Amaurobiidae 1–3, 5, 9–10, 35, 37–38, 49, 74, 85, 284, 294, 307
- amaurobiids 9–11, 47–49, 55, 61–62, 67, 75
- Amaurobiinae 5
- Amaurobioidea 3
- Amaurobioides* 21
- Amaurobius* 5, 9–11, 49, 56, 63–64, 74, 85, 94, 96, 189, 223, 254, 257; *A. fenestralis* 9–10, 85, 189, 254, 257
- Ambohima* 35–36, 50, 90; *A. sublima* 90
- Amphinecta* 12
- Amphinectidae 1–2, 5, 12, 21, 74, 85, 281, 290, 307
- amphinectids 12–13, 47–49, 61, 63, 67, 74
- Anapidae 14, 72, 86, 299
- Anisacate* 12, 74
- Araneidae 2, 4, 14, 86, 139
- araneids 31, 44, 50, 54–55, 65, 67, 70
- Araneoclada* 2–3, 55, 71, 72
- Araneoidea 1, 3–4, 14, 32, 49, 58–59, 61, 64, 72–73, 121
- araneoids 14–15, 43, 53, 59, 62, 72–73
- Araneomorphae 1, 3, 27, 58, 60, 71
- Araneus* 4, 14, 48, 50, 54, 57, 64, 86, 94–95, 121, 249–250, 272; *A. diadematus* 86, 121, 249–250, 272
- Archaea* 5, 14–15, 32, 48–49, 51–53, 55–56, 58–59, 65–67, 72–73, 86, 95–96, 121–123, 228, 235, 250, 266, 269, 296; *A. workmani* 14–15, 86, 121–123, 228, 235, 250, 266, 269, 296
- Archaeidae 1–2, 5, 14, 72–73, 86, 121, 235, 296
- archaeids 67, 73
- Argentina 1, 15–16, 27, 39, 85–89, 91–92, 112, 115, 118, 120, 219–220, 231, 239, 245, 249, 253, 259, 263–264, 284, 292–293, 297–298, 302, 304, 309
- Argiope argentata* 86, 139
- Argyroneta* 21, 67; *A. aquatica* 21
- Ariadna* 4, 39, 56, 58, 91, 94, 95, 118, 120, 231, 239, 253, 259, 263, 303; *A. boesenbergi* 39, 91, 118, 120, 239, 253, 259, 263; *A. maxima* 39, 263
- Asia 19, 35, 37; China 29, 37, 89, 91, 103, 309; India 33, 37, 90–91, 231, 253, 255; Indonesia 90, 253, 256 (Sumatra 90, 253, 256); Malaysia 90, 147–149, 262 (Sarawak 90, 147–149, 262); Myanmar 88, 300; Nepal 37, 91, 244; Southeast Asia 19, 37; Thailand 37–38, 90, 157, 198, 212–213, 233
- Australia 5, 7, 12, 14, 19, 21, 24, 28, 32, 34, 37, 39–40, 86–87, 90–91, 108–111, 142–143, 169–170, 172–173, 185–186, 188, 219, 221, 234, 240–241, 248–251, 254, 256, 273, 280, 290; New South Wales 28, 40, 169, 170, 172–173, 248, 254, 256; Queensland 4, 7, 28, 91, 280, 290; Tasmania 15, 17, 86, 91, 108–111, 219, 221, 234, 249, 251; Victoria 28; Western Australia 90, 142–143, 240–241, 250, 273
- Austrochilidae 1–2, 4, 15, 32, 44, 71–73, 86, 234, 288, 299
- austrochilids 15–17, 28, 47–49, 52–54, 58–60, 68, 72, 115
- Austrochiloidea 2, 71–72, 76
- austrochiloids 49–51, 53–55, 60–61, 67–68, 71

Austrochilus 15–16, 72, 86, 234, 253, 299; *A. forsteri* 15, 86, 299; *A. melon* 16, 86, 234, 253

B

Badumna 5, 19–21, 56, 63, 87, 94, 96, 187–188, 223, 254, 257, 279, 306, 311; *B. candida* 19–20; *B. longinqua* 19–20, 87, 187–188, 223, 254, 257, 279, 306

Birrana 46

C

Calilena 9

Callobius 5, 9–10, 49, 56, 61, 74, 85, 94, 96, 190, 197, 224, 248, 282–283, 294, 307; *C. bennetti* 9, 85, 190, 197, 248, 282–283, 294; *C. gauchama* 85, 224; *C. nevadensis* 85, 307; *C. pictus* 9, 85

Cambridgea 41

Campostichomma 44–45; *C. manicatum* 44

Canada 86, 121, 249–250; Ontario 86, 121, 249–250

Canary Islands 93, 215, 240, 246

Canoe Tapetum Clade 3, 72

Central America 86; Costa Rica 7, 18, 41, 87, 91, 199–201, 240, 250, 301, 307; Honduras 86; Panama 18, 86, 92, 147, 198, 218, 254, 257

Cicurininae 5, 21

Conifaber 44, 92, 302; *C. guarani* 92, 302

Crassanapis chilensis 86, 121

Ctenidae 1–2, 5, 17, 75, 86, 309

ctenids 17, 48, 53–55, 64

Cyatholipidae 14

D

Deinopidae 2, 4, 18, 44, 72, 87, 236, 301

deinopids 18, 43, 49–50, 52–53, 55–58, 66–67, 69

Deinopsis 4, 18–19, 54, 59, 62, 70, 87, 94–95, 147, 236, 242, 248, 253, 255, 260, 272, 301; *D. spinosus* 18, 87, 147, 236, 242, 248, 253, 255, 260, 272, 301

Deinopoidea 50, 60–61, 72–73, 145

Desidae 1, 2, 5, 19, 74–75, 87, 188, 290, 306

desids 21, 47–49, 55–56, 61, 63, 74

Desis 5, 13, 19–21, 48, 52, 56, 58, 65–66, 74, 79, 87, 94, 96, 180–182, 231, 239, 253, 259, 278, 291, 306; *D. formidabilis* 19–21, 79, 87, 180–182, 231, 239, 253, 259, 278, 291, 306

Devendra 46

Dictyna 5, 21–23, 47, 50, 52, 54, 56, 61, 64, 87, 94–95, 160–161, 167, 230, 236, 246, 254–256, 276–277, 301; *D. arundinacea* 87, 160–161, 167, 230, 236, 246, 254, 256, 277; *D. bostoniensis* 87, 276

Dictynidae 1–2, 5, 21, 23, 74–75, 87, 167, 276, 277, 301

dictynids 21–24, 47–49, 54–56, 58–59, 61–62, 66–68

Dictyninae 5, 21

Dictynoidea 3

Dionycha 3, 4

Divided Cribellum Clade 3, 73

Dresserus 26, 88; *D. subarmatus* 88

Dysderoidea 39

E

Ectatosticta 29–30, 54–55, 89, 103

Emmenomma 12, 74, 284

Entelegynae 1–3, 50, 55–56, 60, 70, 72, 76, 242

Eresidae 1–2, 4, 24, 50, 52, 72, 88, 134–135, 300

eresids 24–26, 47–53, 55, 57–62, 65–67, 73

Eresoidea 2–3, 70, 72–74, 76, 300

Eresus 4, 25–26, 50, 62, 88, 94–95, 132–135, 232, 259; *E. cf. cinnaberinus* 88, 132–134, 259; *E. cinnaberinus* 25, 88, 135, 232; *E. sandaliatus* 25–26, 88, 135

Eurasia 8, 24–25, 33, 42, 46

Europe 2; Denmark 9, 10, 26, 85, 87–88, 135, 160–161, 167, 189, 254, 257; Finland 87; France

46, 93, 242, 244; Greece 25, 88, 133–134, 259;

Italy 27, 69, 88–89, 104, 106, 236, 265, 297; Spain

27, 88, 93, 105, 201, 215, 254–255, 257; Switzerland

26, 88, 135, 232

F

Fecenia 37–38, 63, 66

Filistata 4, 27–28, 50, 54–55, 60, 69, 88, 94–95, 104–106, 236, 255, 265, 297; *F. insidiatrix* 27, 69, 88, 104–106, 236, 255, 265, 297

Filistatidae 1–2, 4, 27, 50, 58, 64, 71, 74, 88, 227, 297, 298

filistatids 25, 27, 47–48, 50, 52–58, 60–62, 65–70, 115

Filistatininae 4, 297

Filistatinella sp. 115

Fused Paracribellar Clade 3, 5, 61, 74

G

Gippscicola 39

Goeldia 5, 42, 62, 91, 94, 96, 154–156, 253, 255, 275, 304

Gradungula 4, 28, 55–59, 63, 65–68, 72, 89, 94–95, 116–118; *G. sorenseni* 28, 89, 116–118

Gradungulidae 1–2, 4, 28, 71, 89

Griswoldia 46

Griswoldiinae 46

H

- Haplogynae* 2–3, 55, 60, 67, 71, 310
haplogynes 3, 25, 39, 57
Hersilia 67
Hickmania 4, 15–17, 28, 54–56, 59–60, 64–65, 67–68, 72, 86, 94–95, 108–111, 219, 221, 234, 249, 251; *H. troglodytes* 15–17, 86, 108–111, 219, 221, 234, 249, 251
Hickmaniidae 15
Holarchaeidae 73
Huntia 46
Huttonia 5, 28–29, 48–49, 51–53, 56, 58–59, 65, 67, 72–73, 89, 95–96, 124–125, 235, 250; *H. palpi-manoides* 28–29, 89
Huttoniidae 1–2, 5, 28–29, 73, 89, 235
huttoniids 29, 67
Hypochilidae 1–2, 4, 29, 89, 296
hypochilids 16, 29–30, 47–48, 52–55, 57, 60, 62, 67, 69
Hypochilus 4, 29–30, 49–50, 53–59, 62, 64–65, 68, 71, 89, 94–95, 102–103, 231, 233, 244, 251, 265, 267, 296; *H. kastoni* 89, 296; *H. pococki* 30, 89, 102–103, 233, 244, 251, 265, 267, 296; *H. sheari* 89, 231
Hyptiotes 43, 92, 221

I

- Ischalea* 40–41
Israel 42

K

- Kilyana* 46
Krukt 46
Kukulcania 4, 7, 27–28, 50, 54–55, 67, 76, 88, 94–95, 107, 115, 219, 227, 244, 253, 255, 267–268, 297–298; *K. hibernalis* 27, 67, 76, 88, 107, 115, 227, 244, 253, 255, 267–268, 297–298

L

- Lathys* 5, 21–23, 56, 87–88, 94, 96, 164–165, 167, 230, 232, 248, 253, 256, 261, 276–277; *L. humilis* 23, 88, 164–165, 167, 248, 253, 256, 261, 277; *L. immaculata* 88, 230, 232, 276
Linyphiidae 14, 72
Liocranoides 65, 91; *L. unicolor* 91
Liphistius 54–55, 67
Loxosceles 55
Lycosoidea 3, 37–38, 41, 46–48, 50–51, 60, 66, 75, 312

M

- Macrobuninae* 5, 74, 284
Macrobunus 5, 9–11, 64, 74–75, 85, 94, 96, 195–196, 239, 253, 259, 284, 294; *M. cf. multidentatus* 9–10, 85; *M. multidentatus* 195–196, 239, 253, 259, 284
Macrogradungula 28, 72; *M. moonya* 28
Madagascar 7, 14–15, 35, 40, 42, 44–45, 86, 88, 90, 93, 121–123, 198, 205, 228, 235, 242, 244, 250, 254, 257, 266, 269, 274, 287, 295–296, 308
Malaika 35
Malkaridae 72–73
Mallos 21–22, 88, 221
Maniho 5, 12–13, 64, 68, 85, 94, 96, 176–177, 183, 248, 257, 281, 290; *M. ngaitahu* 12, 85, 176–177, 183, 248, 257, 281, 290; *M. pumilio* 85; *M. tigris* 85
Manjala 38
Matachia 5, 19–21, 48–49, 56, 60, 68, 74, 87, 94, 96, 184, 188, 254, 257, 306; *M. australis* 19, 87, 184, 188, 254, 257; *M. marplesi* 87
Matachiinae 5
Mauritius 40
Mecysmaucheniiidae 73
Mecysmauchenius 67
Megadictyna 5, 32–33, 48, 50, 59–60, 62, 64, 66, 70, 73, 75, 89, 94–95, 139–141, 223, 238, 242, 253, 255, 262, 272, 304; *M. thilenii* 32, 89, 139–141, 223, 238, 242, 253, 255, 262, 272, 304
Megateg 46
Menneus 4, 18–19, 50, 87, 94–95, 144–145, 236, 241, 245, 249, 301; *M. camelus* 18, 87, 144–145, 236, 301
Mesothelae 54, 71
Metagonia 72
Metaltellinae 5, 12–13, 65, 68, 74, 85, 94, 96, 178–179, 183, 225, 254, 256, 261, 280–281, 292–293, 307; *M. rorulenta* 12, 85; *M. simoni* 12, 85, 178–179, 183, 225, 254, 256, 261, 280–281, 292–293, 307
Metaltellinae 66, 86, 265
Metepeira atascadero 86
Mexico 41, 44, 86, 89, 91, 93, 126, 139, 202–203, 229, 231, 238, 247–248, 253, 295; *Baja California* 86, 139; *Chiapas* 91, 93, 202–203, 231, 247, 253; *Guanajuato* 86, 238, 248; *Hidalgo* 93, 295; *Tampico* 89, 126, 231
Miagrammopes zenzesi 92, 302
Micropholcommatidae 14, 73
Mimetidae 1–2, 5, 30, 72–73, 89, 243
Mimetus 5, 30–31, 48–52, 58–59, 64, 66–67, 72, 89, 95–96, 126–127, 229, 231, 243, 250, 258, 270; *M. hesperus* 30, 89, 126–127, 229, 231, 243, 250, 258,

270

Misionella mendensis 89, 297

Miturgidae 46

Mygalomorphae 67, 71, 78

Mysmenidae 14

N*Namaquarachne* 36, 90, 147; *N. tropata* 36, 90, 147

Neocribellatae 60, 62, 68, 71

Neocribellate 28, 71

Neolana 5, 31, 49, 62, 89, 94, 96, 168–169, 233, 254–256, 279, 305; *N. dalmasi* 31, 89, 168–169, 233, 254, 256, 279, 305

Neolanidae 1–2, 5, 31, 74, 89, 169, 305

neolanids 47–48, 61, 67

Neoramia 5, 9, 49, 60–61, 74, 85, 94, 96, 174–175, 183, 254, 256, 262, 280, 290, 305; *N. sana* 9, 85, 174–175, 183, 254, 256, 262, 280, 290, 305*Nephila* 79, 91, 220

Nesticidae 14, 72

New Caledonia 19

New Guinea 32, 37, 42, 91, 210–211, 213, 240, 246, 250, 265, 268

New Zealand 4, 7–9, 12, 18–19, 24, 27–29, 31–32, 34, 37–38, 40, 85, 87, 89–91, 93, 116–118, 124–125, 139–141, 168–169, 171, 174–177, 183–184, 188, 208–209, 223, 233, 235, 238, 242–243, 248, 250–251, 253–258, 262, 272, 279–281, 285, 290, 304–306

Nicodamidae 1–3, 5, 32, 71, 73–74, 89, 139, 304, 315

nicodamids 32–33, 47–49, 64, 71, 73, 315

Nicodamus 5, 32–33, 48, 50, 56–57, 59, 64–65, 73, 90, 94–95, 142–143, 240–241, 250, 273; *N. mainae* 32, 90, 142–143, 240–241, 250, 273*Nigma* 5, 21–23, 47–48, 52, 56, 88, 94–95, 162–163, 167, 256, 277; *N. linsdalei* 88, 162–163, 167, 256, 277

North America 8, 29–30, 44–46

O*Octonoba* 4, 43–44, 92, 94–95, 145, 248, 253; *O. octonarius* 43; *O. octonaria* 43, 92, 145, 248, 253

Oecobiidae 1–2, 4, 33, 67, 72, 90, 227, 288, 300

oecobiids 33–34, 47–48, 51–53, 55–56, 58, 62–63, 65–68

Oecobius 4, 33–34, 50, 53, 58–59, 66–68, 70, 72, 90, 94–95, 128, 227, 230, 236, 241, 271; *O. navus* 33, 90, 128, 236, 241, 271*Oonops* 67

Orbiculariae 2–4, 18, 30, 32, 47–49, 58, 62, 69–70, 72–73, 76, 147, 310–311

Oval Calamistrum clade (OC clade) 2, 75–76

P

Palaeocribellatae 2

Palpimanidae 29, 73

palpimanids 29, 73

Palpimoidea 2–3, 5, 14, 29, 57, 71–73, 310

palpimanoids 47–49, 52, 62, 67, 72–73, 315

Palpimanus 67

Papua New Guinea 37, 91, 210–211, 213, 240, 246, 250, 265, 268

Paramatachia 20*Pararchaea* 5, 34–35, 49, 51–53, 56, 58–59, 64–67, 72, 90, 95–96

Pararchaeidae 1–2, 5, 34, 72–73, 90

Phanotea 46*Philoponella cf. fasciata* 92, 302*Phryganoporus* 5, 19–21, 56, 63, 87, 94, 96, 185–186, 188, 290, 311; *P. candidus* 19–20, 87, 185–186, 188, 290*Physocyclus* 55*Phyxelida* 5, 35–36, 49–50, 64, 90, 94, 96, 147, 150–151, 222, 233, 244, 261, 274, 289, 303; *P. bifoveata* 90, 274, 289; *P. tanganensis* 35–36, 50, 90, 147, 150–151, 222, 233, 244, 261, 274, 303

Phyxelididae 1–3, 5, 35, 50, 74, 90, 147, 274, 289, 303

phyxelidids 9, 35–36, 47–49, 59–61, 63, 70

Phyxelidiinae 35, 303

Phyxelidini 63, 303

Pillara 5, 40–41, 91, 94, 96, 169, 172–173, 311; *P. griswoldi* 40, 91, 169, 172–173

Pimoidae 14

Pimus 5, 9–11, 49, 59, 74, 85, 94, 96, 191–192, 197, 224, 236, 248, 254, 257, 259, 262, 282–283; *P. napa* 85, 197, 236, 259; *P. pitius* 9, 85*Poaka* 2, 5, 9–10, 37–38, 49, 75, 90, 95–96, 208–209, 243, 251, 258, 285; *P. graminicola* 37–38, 90, 208–209, 243, 251, 258, 285*Pritha nana* 89, 297

Prithinae 50, 297

Progradungula 28; *P. carraiensis* 28

Psechridae 1–2, 5, 10, 37–38, 75, 90, 309

psechrids 37–38, 53, 55, 61, 63, 66

Psechrus 5, 37–38, 50, 60, 63, 66, 90–91, 95–96, 157, 198, 210–213, 233, 240, 244, 246, 250, 265, 268, 309; *P. argentatus* 91, 210–211, 213, 240, 246, 250, 265, 268**R***Raecius* 5, 44–46, 58, 60, 64, 67, 92–93, 95–96, 198, 206–207, 225–226, 248, 254, 262, 287, 295, 308;*R. asper* 45, 67, 92, 308; *R. congoensis* 46, 67, 92;

- R. jocquei* 45, 67, 92, 198, 206–207, 248, 254, 262, 287, 295; *R. scharffi* 44, 93, 225–226
Retiro 5, 9–11, 48–49, 58, 74, 85, 94, 96, 193–194, 197, 254, 257, 282–283
 RTA Clade 2–3, 74–75
Rubrius 12, 284
 Russia 87, 230, 254, 256, 277
- S**
- Sahastata* 50
Scytodes 55
Segestria 39
Segestriidae 1, 2, 4, 39, 71, 91, 303
 South America 9, 12, 21, 42; Brazil 23–24; Chile 7–9, 12, 15–16, 19, 39, 42, 85–86, 92, 113, 115, 121, 154–156, 195–196, 234, 239, 253, 259, 263, 265, 267, 284, 288, 294, 299; Colombia 92; Ecuador 23, 86–87, 92, 157–159, 218, 231, 243, 251, 258, 270; Peru 9, 18, 85–87, 91, 193–194, 197, 216–217, 240, 246, 249, 253–255, 257, 275, 282–283; Uruguay 19, 87, 279
Stegodyphus 4, 24–26, 62, 88, 94–95, 134–138, 230, 232, 236, 245, 253, 255, 260, 271, 300; *S. dumicola* 88, 271, 300; *S. mimosarum* 25–26, 88, 134–138, 230, 232, 236, 245, 253, 255, 260, 300
Stenochilidae 28–29, 73
Stiphidiidae 1–2, 5, 40–41, 74–75, 91, 169, 290, 305
 stiphidiids 40–41, 47–48, 53, 61–62, 66–67
Stiphidiooids 3, 74
Stiphidion 5, 40–41, 53, 91, 94, 96, 169–171, 248, 254, 256, 280, 290, 305; *S. facetum* 40, 91, 169, 170–171, 248, 254, 256, 280, 290, 305
Sympytognathidae 14
Sympytognathoidea 14
Synaphidae 14
Synotaxidae 14
- T**
- Takeoa* 46
Tama 67
Tegenaria domestica 9
Tengella 5, 41, 44, 59, 64, 69, 75, 91, 95–96, 199–201, 240, 250, 307; *T. radiata* 41, 91, 199–201, 240, 250, 307
Tengellidae 1–2, 5, 37, 41, 65, 75, 91, 201, 307
Tetragnathidae 14, 72, 91
Textricellidae 73
Thaida 4, 15–17, 19, 28, 49–50, 53–56, 60, 62–63, 67–70, 86, 94–95, 112–113, 115, 219–220, 234–245, 249, 259, 264, 267, 288, 299; *T. peculiaris* 15–16, 86, 112–113, 115, 219–220, 234, 245, 249, 259, 264, 267, 288, 299
Thaididae 15
Theridiidae 14, 72
Theridiosomatidae 14
Titanoeca 5, 42–43, 62, 64, 92, 94, 96, 152–153, 156, 222, 244, 253, 255, 262, 275, 289, 304; *T. albo-maculata* 42, 82; *T. americana* 42, 92, 152–153, 156, 244, 253, 255, 262, 275, 289; *T. nigrella* 42, 92, 153, 156, 222, 304; *T. silvicola* 43
Titanoecidae 2, 5, 35, 42, 64, 74, 91, 156, 275, 289, 304
 titanoecids 42, 43, 47–48, 62–63, 65
 titanoecoids 2–3, 5, 74
Tricholathys 5, 21, 22–23, 48, 56, 88, 94–95, 166–167, 232, 254, 256, 276; *T. spiralis* 88, 167, 254, 256, 276
Tricholathysinae 5, 21
- U**
- Uduba* 5, 44–46, 50, 58, 60, 93, 95–96, 198, 205, 242, 244, 254, 257, 287, 295, 308; *U. dahli* 93, 295; *U. madagascariensis* 93, 287, 308
Uliodon 46, 64, 93
Uloboridae 2, 4, 23, 43, 72, 92, 302, 307
 uloborids 19, 43–44, 47, 49–50, 53–55, 59, 61, 65, 67–70
Uloborus 4, 23, 43–44, 58, 92, 94–95, 147, 220, 238, 241, 246, 249, 253, 255, 302; *U. diversus* 92, 238, 253, 255; *U. glomosus* 92, 241, 246, 249; *U. trilineatus* 92, 147
 United Kingdom 88, 164–165, 167, 248, 253, 256, 261, 277; Scotland 87, 236, 246
Uroctea 4, 33–34, 53, 57–59, 66–67, 90, 94–95, 130–131, 231, 253, 255, 260, 271, 288, 300
Uroecobius 67
 USA 1, 5, 9, 12, 18, 27, 33–34, 42–43, 85–93, 102–103, 107, 115, 127–128, 145, 147, 152–153, 156, 162–163, 166–167, 178–179, 183, 187–188, 190–192, 197, 204, 221–227, 230–233, 236, 238, 241–244, 246, 248–251, 253–262, 265, 267–268, 270–272, 275–277, 280–283, 287, 289, 294, 296, 301, 304, 306–309; Arizona 44, 87–89, 92–93, 127, 153, 156, 221–222, 243, 258, 270, 304, 308; Arkansas 88, 92, 230, 232, 248, 253, 276; California 9–10, 12, 19, 27, 34, 43, 46, 85–90, 92–93, 128, 162–163, 166–167, 178–179, 183, 191–192, 197, 224–227, 230, 232, 236, 238, 248, 253–254, 256–257, 259, 262, 277, 280–283, 287, 296, 301, 307, 309; Florida 18, 27, 87–88, 107, 115, 147, 227, 236, 242, 244, 248, 253, 255, 260, 267, 272; Georgia 34, 88, 90, 236, 241, 268; Hawaii 87, 187–188, 254, 257; Louisiana 85;

Maine 85, 282–283, 294; Minnesota 87, 276; Missouri 92, 145, 152–153, 156, 244, 253, 255, 262, 275, 289; Nevada 89, 250; North Carolina 30, 88–89, 92, 102–103, 231, 241, 246, 249, 265, 296;

South Carolina 92; Tennessee 89, 91, 233, 244, 251, 267; Texas 93, 204, 259, 287; Washington 167; Washington D.C. 34, 90, 128, 271; West Virginia 85, 190, 197, 248

V

Vidole 35–36, 90, 303; *V. capensis* 90, 303

Vidoliini 36, 63

Vytutia 5, 35–36, 60, 63, 90, 94, 96, 147–149, 253, 256, 262; *V. bedel* 90, 253, 256; *V. pallens* 36, 90, 147–149, 262

W

Waitkera 44

Wajane 25

X

Xenoctenus 65, 92

Xevioso 5, 9, 35–36, 49, 60, 62, 66, 90, 94, 96, 232, 242, 244, 248, 271, 303; *X. amica* 36, 90, 232, 242, 244, 248, 271, 303; *X. orthomeles* 90, 303

Z

Zorocrates 5, 44–46, 64, 75, 93, 95–96, 202–204, 231, 247, 253, 259, 287, 295, 308; *Z. cf. mistus* 45, 93, 202–203, 231, 247, 253

Zorocratidae 2–3, 5, 44, 46, 50, 75, 92–93, 287, 295, 308

zorocratids 44, 48, 50, 58, 60, 64, 67, 75

Zorocratinae 44, 46

Zorodictyna 44

Zoropsidae 2, 5, 44, 46, 64, 75, 93, 201, 309, 313

zoropsids 48, 53, 55, 61, 64

Zoropsis 5, 44, 46–47, 49–50, 53, 58, 60, 64, 67, 75, 93, 95–96, 201, 215, 226, 240, 242, 244, 246, 254, 257, 287, 309; *Z. cyprogenia* 46; *Z. media* 93; *Z. nishimurai* 46; *Z. rufipes* 47, 93, 215, 240, 246; *Z. spinimana* 46–47, 93, 201, 215, 226, 242, 244, 254, 257, 287, 309

Zosis 92

